

**2014: Childhood Retrospective
Circumstances Study File**

Codebook

Number of Variables

316

2014: Childhood Retrospective Circumstances Study File

CS14V1 "RELEASE NUMBER" NUM(1.0)

Release Number

Count	%	Value/Range	Code	Value/Range	Text
8,072	100.00		1		Release number 1, September 2015

CS14V2 "2013 FAMILY INTERVIEW (ID) NUMBER" NUM(5.0)

2013 PSID Interview Number

To merge the PSID-CRCS data with the 1968-2013 Public Release Individual File, users should merge records where both CS14V2=ER34201 (2013 Family Interview ID Number) and CS14V3=ER34202 (2013 Sequence Number). To merge the PSID-CRCS data with the 1968-2013 Public Release Family File, users should merge records where CS14V2=ER53002 (2013 Family Interview ID Number).

Count	%	Value/Range	Code	Value/Range	Text
8,072	100.00	1 - 9,107			Interview Number

CS14V3 "SEQUENCE NUMBER 13" NUM(2.0)

2013 PSID Sequence Number

To merge the PSID-CRCS data with the 1968-2013 Public Release Individual File, users should merge records where both CS14V2=ER34201 (2013 Family Interview ID Number) and CS14V3=ER34202 (2013 Sequence Number). To merge the PSID-CRCS data with the 1968-2013 Public Release Family File, users should merge records where CS14V2=ER53002 (2013 Family Interview ID Number).

Count	%	Value/Range	Code	Value/Range	Text
5,187	64.26		1		Head at 2013 PSID interview
2,885	35.74		2		Wife or "Wife" at 2013 PSID interview

CS14V4 "SEX OF R" NUM(1.0)

Sex of Respondent

Count	%	Value/Range	Code	Value/Range	Text
3,421	42.38		1		Male
4,651	57.62		2		Female

CS14V5 "AGE OF R" NUM(3.0)

Age of Respondent

This variable represents the age of the Respondent at the 2013 PSID interview.

Count	%	Value/Range	Code	Value/Range	Text
8,072	100.00	18 - 120			Actual age

CS14V6 "MODE OF INTERVIEW" NUM(1.0)

Mode of Interview

Count	%	Value/Range	Code	Value/Range	Text
6,093	75.48		1		Web interview
1,979	24.52		2		Paper interview

2014: Childhood Retrospective Circumstances Study File

CS14V7 "MONTH CURRENT IW" NUM(2.0)

Month of Current Interview

Count	%	Value/Range	Code Value/Range Text
8,072	100.00	1 - 12	Actual month

CS14V8 "YEAR CURRENT IW" NUM(4.0)

Year of Current Interview

Count	%	Value/Range	Code Value/Range Text
8,072	100.00	2,014 - 2,015	Actual year

CS14V9 "A1B MAN WHO RAISED R" NUM(1.0)

Alb. Before you were age 17, what man spent the most time raising you?

Count	%	Value/Range	Code Value/Range Text
6,150	76.19	1	Biological father
171	2.12	2	Adoptive father
644	7.98	3	Stepfather
336	4.16	4	Other male relative
79	.98	5	Other male non-relative
666	8.25	7	No man raised me
26	.32	9	NA; not answered

CS14V10 "A1A WOMAN WHO RAISED R" NUM(1.0)

Ala. Before you were age 17, what woman spent the most time raising you?

Count	%	Value/Range	Code Value/Range Text
7,470	92.54	1	Biological mother
133	1.65	2	Adoptive mother
82	1.02	3	Stepmother
272	3.37	4	Other female relative
31	.38	5	Other female non-relative
47	.58	7	No woman raised me
37	.46	9	NA; not answered

CS14V11 "A2A WTR PARENTS MARRIED COUPLE" NUM(1.0)

A2a. Now think about (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you). Were they ever married to each other or in a marriage-like relationship when you were growing up?

Count	%	Value/Range	Code Value/Range Text
6,039	74.81	1	Yes
424	5.25	5	No
131	1.62	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

1,478 18.31 0 Inap.: not raised by two parents (CS14V9=7 or CS14V10=7); raised by two parents and at least one was a stepparent (CS14V9=3 and CS14V10=1-5 or CS14V9=1-5 and CS14V10=3); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9)

CS14V12 "A2A1 PARENTS RELATIONSHIP SATISFACTION" NUM(1.0)

A2a1. (Now think about [your mother/your stepmother/the woman who raised you] and [your father/your stepfather/the man who raised you]). How satisfied would you say they were with their relationship (when you were growing up)?

Count	%	Value/Range	Code	Value/Range	Text
3,024	37.46		1		Very satisfied
1,878	23.27		2		Satisfied
1,238	15.34		3		Somewhat satisfied
557	6.90		4		Not at all satisfied
62	.77		9		NA; not answered
1,313	16.27		0		Inap.: not raised by two parents (CS14V9=7 or CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); NA whether parents in marriage-like relationship (CS14V11=9)

CS14V13 "A2A2 WTR WOMAN WHO RAISED R MARRIED" NUM(1.0)

A2a2. When you were growing up, was (your mother/your stepmother/the woman who raised you) ever married or in a marriage-like relationship with someone (other than [your father/your stepfather/the man who raised you])?

Count	%	Value/Range	Code	Value/Range	Text
610	7.56		1		Yes
454	5.62		5		No
34	.42		9		NA; not answered
6,974	86.40		0		Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); raised by a man only (CS14V9=1-5 and CS14V10=7); raised by two parents and at least one was a stepparent (CS14V9=3 and CS14V10=1-5 or CS14V9=1-5 and CS14V10=3); NA woman who raised R (CS14V10=9); parents in a marriage-like relationship (CS14V11=1); NA whether parents in marriage-like relationship (CS14V11=9)

CS14V14 "A2A3 MOM RELATIONSHIP SATISFACTION" NUM(1.0)

A2a3. How satisfied would you say she was with her relationship? If she had more than one, think about her most significant relationship.

Count	%	Value/Range	Code	Value/Range	Text
103	1.28		1		Very satisfied
145	1.80		2		Satisfied
180	2.23		3		Somewhat satisfied
178	2.21		4		Not at all satisfied
4	.05		9		NA; not answered

2014: Childhood Retrospective Circumstances Study File

7,462 92.44 0 Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); raised by a man only (CS14V9=1-5 and CS14V10=7); raised by two parents and at least one was a stepparent (CS14V9=3 and CS14V10=1-5 or CS14V9=1-5 and CS14V10=3); NA woman who raised R (CS14V10=9); parents in a marriage-like relationship (CS14V11=1); NA whether parents in marriage-like relationship (CS14V11=9); woman who raised R not in marriage-like relationship (CS14V13=5); NA whether woman who raised R in marriage-like relationship (CS14V13=9)

CS14V15 "A2A4 WTR MAN WHO RAISED R MARRIED" NUM(1.0)

A2a4. When you were growing up, was (your father/your stepfather/the man who raised you) ever married or in a marriage-like relationship with someone (other than [your mother/your stepmother/the woman who raised you])?

Count	%	Value/Range	Code Value/Range Text
291	3.61	1	Yes
148	1.83	5	No
51	.63	9	NA; not answered
7,582	93.93	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); raised by a woman only (CS14V9=7 and CS14V10=1-5); raised by two parents and at least one was a stepparent (CS14V9=3 and CS14V10=1-5 or CS14V9=1-5 and CS14V10=3); NA man who raised R (CS14V9=9); parents in a marriage-like relationship (CS14V11=1); NA whether parents in marriage-like relationship (CS14V11=9)

CS14V16 "A2A5 DAD RELATIONSHIP SATISFACTION" NUM(1.0)

A2a5. How satisfied would you say he was with his relationship? If he had more than one, think about his most significant relationship.

Count	%	Value/Range	Code Value/Range Text
117	1.45	1	Very satisfied
76	.94	2	Satisfied
68	.84	3	Somewhat satisfied
25	.31	4	Not at all satisfied
5	.06	9	NA; not answered
7,781	96.39	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); raised by a woman only (CS14V9=7 and CS14V10=1-5); raised by two parents and at least one was a stepparent (CS14V9=3 and CS14V10=1-5 or CS14V9=1-5 and CS14V10=3); NA man who raised R (CS14V9=9); parents in a marriage-like relationship (CS14V11=1); NA whether parents in marriage-like relationship (CS14V11=9); man who raised R not in marriage-like relationship (CS14V13=5); NA whether man who raised R in marriage-like relationship (CS14V13=9)

2014: Childhood Retrospective Circumstances Study File

CS14V17 "A2B WTR PARENTS SEP/DIVORCED"

NUM(1.0)

A2b. Still thinking about (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you), did they separate or divorce during your childhood, that is, before you were 17?

Count	%	Value/Range	Code Value/Range Text
1,007	12.48	1	Yes
5,668	70.22	5	No
215	2.66	9	NA; not answered
1,182	14.64	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5)

CS14V18 "A3A AGE PARENTS SEP/DIVORCED 1ST TIME"

NUM(2.0)

A3a. What was your age when your parents or guardians first separated?

Count	%	Value/Range	Code Value/Range Text
993	12.30	1 - 16	Age 1 to 16
14	.17	99	NA; not answered
7,065	87.52	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9)

CS14V19 "A3B AGE PARENTS SEP/DIVORCED 2ND TIME"

NUM(2.0)

A3b. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code Value/Range Text
202	2.50	1 - 16	Age 1 to 16
74	.92	99	NA; not answered
7,796	96.58	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); only one separation or divorce during childhood; NA whether parents separated or divorced during childhood (CS14V17=9); NA age parents separated (CS14V18=99)

CS14V20 "A3C AGE PARENTS SEP/DIVORCED 3RD TIME"

NUM(2.0)

A3c. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code Value/Range Text
45	.56	1 - 16	Age 1 to 16
40	.50	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

7,987 98.95 0 Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than three separations or divorces during childhood; NA age parents separated

CS14V21 "A3D AGE PARENTS SEP/DIVORCED 4TH TIME" NUM(2.0)

A3d. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code	Value/Range	Text
14	.17	1 - 16	Age	1 to 16	
6	.07	99	NA;	not answered	
8,052	99.75	0	Inap.:	no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than four separations or divorces during childhood; NA age parents separated	

CS14V22 "A3E AGE PARENTS SEP/DIVORCED 5TH TIME" NUM(2.0)

A3e. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code	Value/Range	Text
6	.07	1 - 16	Age	1 to 16	
2	.02	99	NA;	not answered	
8,064	99.90	0	Inap.:	no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than five separations or divorces during childhood; NA age parents separated	

CS14V23 "A3F AGE PARENTS SEP/DIVORCED 6TH TIME" NUM(2.0)

A3f. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code	Value/Range	Text
4	.05	1 - 16	Age	1 to 16	
-	-	99	NA;	not answered	
8,068	99.95	0	Inap.:	no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than six separations or divorces during childhood; NA age parents separated	

2014: Childhood Retrospective Circumstances Study File

CS14V24 "A3G AGE PARENTS SEP/DIVORCED 7TH TIME" NUM(2.0)

A3g. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code Value/Range Text
4	.05	1 - 16	Age 1 to 16
8,068	99.95	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than seven separations or divorces during childhood; NA age parents separated

CS14V25 "A3H AGE PARENTS SEP/DIVORCED 8TH TIME" NUM(2.0)

A3h. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code Value/Range Text
3	.04	1 - 16	Age 1 to 16
8,069	99.96	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than eight separations or divorces during childhood; NA age parents separated

CS14V26 "A3I AGE PARENTS SEP/DIVORCED 9TH TIME" NUM(2.0)

A3i. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code Value/Range Text
2	.02	1 - 16	Age 1 to 16
8,070	99.98	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than nine separations or divorces during childhood; NA age parents separated

CS14V27 "A3J AGE PARENTS SEP/DIVORCED 10TH TIME" NUM(2.0)

A3j. What was your age when your parents or guardians next separated?

Count	%	Value/Range	Code Value/Range Text
2	.02	1 - 16	Age 1 to 16
8,070	99.98	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); less than ten separations or divorces during childhood; NA age parents separated

2014: Childhood Retrospective Circumstances Study File

CS14V28 "A4A PARENT MOST W/ AFTER SEP/DIV" NUM(1.0)
A4a. And after they separated or divorced, which parent did you spend the most time with?

Count	%	Value/Range	Code Value/Range Text
709	8.78	1	Mother/Stepmother/Woman who raised me
140	1.73	2	Father/Stepfather/Man who raised me
149	1.85	3	Equal
9	.11	9	NA; not answered
7,065	87.52	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9)

CS14V29 "A4B TIME W/ OTHER PARENT AFTER SEP/DIV" NUM(1.0)
A4b. After they separated or divorced, how often did you spend time with ([your mother/your stepmother/the woman who raised you] / [your father/your stepfather/the man who raised you])?

Count	%	Value/Range	Code Value/Range Text
128	1.59	1	A lot of time
292	3.62	2	Some time
183	2.27	3	A little time
240	2.97	4	Not much time at all
6	.07	9	NA; not answered
7,223	89.48	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents not in a marriage-like relationship (CS14V11=5); parents did not separate or divorce during childhood (CS14V17=5); NA whether parents separated or divorced during childhood (CS14V17=9); spent equal amount of time with each parent after divorce (CS14V28=3); NA which parent spent the most time with after divorce (CS14V28=9)

CS14V30 "A5 WTR MOVED IN CHILDHOOD" NUM(1.0)
A5. The next questions are about residential moves in your childhood. Did you move during your childhood, that is, before you were 17?

Count	%	Value/Range	Code Value/Range Text
5,281	65.42	1	Yes
2,731	33.83	5	No
60	.74	9	NA; not answered

CS14V31 "A7A AGE 1ST CHILDHOOD MOVE" NUM(2.0)
A7a. At what age did you first move?

Count	%	Value/Range	Code Value/Range Text
5,175	64.11	1 - 16	Age 1 to 16

2014: Childhood Retrospective Circumstances Study File

106 1.31 99 NA; not answered
 2,791 34.58 0 Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9)

CS14V32 "A7B AGE 2ND CHILDHOOD MOVE" NUM(2.0)

A7b. At what age did you next move?

Count	%	Value/Range	Code Value/Range Text
3,173	39.31	1 - 16	Age 1 to 16
131	1.62	99	NA; not answered
4,768	59.07	0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); only moved one time during childhood; NA age first moved (CS14V31=99)

CS14V33 "A7C AGE 3RD CHILDHOOD MOVE" NUM(2.0)

A7c. At what age did you next move?

Count	%	Value/Range	Code Value/Range Text
1,865	23.10	1 - 16	Age 1 to 16
261	3.23	99	NA; not answered
5,946	73.66	0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than three times during childhood; NA age moved

CS14V34 "A7D AGE 4TH CHILDHOOD MOVE" NUM(2.0)

A7d. At what age did you next move?

Count	%	Value/Range	Code Value/Range Text
1,156	14.32	1 - 16	Age 1 to 16
83	1.03	99	NA; not answered
6,833	84.65	0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than four times during childhood; NA age moved

CS14V35 "A7E AGE 5TH CHILDHOOD MOVE" NUM(2.0)

A7e. At what age did you next move?

Count	%	Value/Range	Code Value/Range Text
718	8.89	1 - 16	Age 1 to 16
60	.74	99	NA; not answered
7,294	90.36	0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than five times during childhood; NA age moved

CS14V36 "A7F AGE 6TH CHILDHOOD MOVE" NUM(2.0)

A7f. At what age did you next move?

Count	%	Value/Range	Code Value/Range Text
447	5.54	1 - 16	Age 1 to 16

2014: Childhood Retrospective Circumstances Study File

28 .35 99 NA; not answered
 7,597 94.12 0 Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than six times during childhood; NA age moved

CS14V37 "A7G AGE 7TH CHILDHOOD MOVE" NUM(2.0)

A7g. At what age did you next move?

Count	%	Value/Range	Code	Value/Range	Text
282	3.49	1 - 16		Age 1 to 16	
23	.28		99	NA; not answered	
7,767	96.22		0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than seven times during childhood; NA age moved	

CS14V38 "A7H AGE 8TH CHILDHOOD MOVE" NUM(2.0)

A7h. At what age did you next move?

Count	%	Value/Range	Code	Value/Range	Text
173	2.14	1 - 16		Age 1 to 16	
16	.20		99	NA; not answered	
7,883	97.66		0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than eight times during childhood; NA age moved	

CS14V39 "A7I AGE 9TH CHILDHOOD MOVE" NUM(2.0)

A7i. At what age did you next move?

Count	%	Value/Range	Code	Value/Range	Text
109	1.35	1 - 16		Age 1 to 16	
14	.17		99	NA; not answered	
7,949	98.48		0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than nine times during childhood; NA age moved	

CS14V40 "A7J AGE 10TH CHILDHOOD MOVE" NUM(2.0)

A7j. At what age did you next move?

Count	%	Value/Range	Code	Value/Range	Text
70	.87	1 - 16		Age 1 to 16	
8	.10		99	NA; not answered	
7,994	99.03		0	Inap.: did not move during childhood (CS14V30=5); NA whether moved during childhood (CS14V31=9); moved less than ten times during childhood; NA age moved	

2014: Childhood Retrospective Circumstances Study File

CS14V41 "A8 # SCHOOLS ATTENDED" NUM(2.0)
A8. How many schools did you attend before age 17, including home schooling?

IF LESS THAN 1 OR MORE THAN 10, THEN ASK: Please enter a number from 1 to 10.

Count	%	Value/Range	Code Value/Range Text
7,908	97.97	1 - 10	Number of schools attended
164	2.03	99	NA; not answered

CS14V42 "A9A AGE START 1ST SCHOOL" NUM(2.0)
A9a. At what age did you go to this first school?

Count	%	Value/Range	Code Value/Range Text
7,726	95.71	1 - 16	Age 1 to 16
182	2.25	99	NA; not answered
164	2.03	0	Inap.: NA number of schools attended (CS14V41=99)

CS14V43 "A9B AGE START 2ND SCHOOL" NUM(2.0)
A9b. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
6,545	81.08	1 - 16	Age 1 to 16
229	2.84	99	NA; not answered
1,298	16.08	0	Inap.: only one school attended (CS14V41=1); NA number of schools attended (CS14V41=99); NA age attended first school (CS14V42=99); only one school attended (CS14V41=1)

CS14V44 "A9C AGE START 3RD SCHOOL" NUM(2.0)
A9c. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
4,985	61.76	1 - 16	Age 1 to 16
352	4.36	99	NA; not answered
2,735	33.88	0	Inap.: less than three schools attended (CS14V41<3); NA number of schools attended (CS14V41=99); NA age attended school

CS14V45 "A9D AGE START 4TH SCHOOL" NUM(2.0)
A9d. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
2,822	34.96	1 - 16	Age 1 to 16
213	2.64	99	NA; not answered
5,037	62.40	0	Inap.: less than four schools attended (CS14V41<4); NA number of schools attended (CS14V41=99); NA age attended school

2014: Childhood Retrospective Circumstances Study File

CS14V46 "A9E AGE START 5TH SCHOOL" NUM(2.0)

A9e. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
1,438	17.81	1 - 16	Age 1 to 16
161	1.99	99	NA; not answered
6,473	80.19	0	Inap.: less than five schools attended (CS14V41<5); NA number of schools attended (CS14V41=99); NA age attended school

CS14V47 "A9F AGE START 6TH SCHOOL" NUM(2.0)

A9f. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
695	8.61	1 - 16	Age 1 to 16
100	1.24	99	NA; not answered
7,277	90.15	0	Inap.: less than six schools attended (CS14V41<6); NA number of schools attended (CS14V41=99); NA age attended school

CS14V48 "A9G AGE START 7TH SCHOOL" NUM(2.0)

A9g. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
324	4.01	1 - 16	Age 1 to 16
82	1.02	99	NA; not answered
7,666	94.97	0	Inap.: less than seven schools attended (CS14V41<7); NA number of schools attended (CS14V41=99); NA age attended school

CS14V49 "A9H AGE START 8TH SCHOOL" NUM(2.0)

A9h. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
187	2.32	1 - 16	Age 1 to 16
60	.74	99	NA; not answered
7,825	96.94	0	Inap.: less than eight schools attended (CS14V41<8); NA number of schools attended (CS14V41=99); NA age attended school

CS14V50 "A9I AGE START 9TH SCHOOL" NUM(2.0)

A9i. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
93	1.15	1 - 16	Age 1 to 16
46	.57	99	NA; not answered
7,933	98.28	0	Inap.: less than nine schools attended (CS14V41<9); NA number of schools attended (CS14V41=99); NA age attended school

2014: Childhood Retrospective Circumstances Study File

CS14V51 "A9J AGE START 10TH SCHOOL" NUM(2.0)

A9j. At what age did you go to this next school?

Count	%	Value/Range	Code Value/Range Text
57	.71	1 - 16	Age 1 to 16
26	.32	99	NA; not answered
7,989	98.97	0	Inap.: less than ten schools attended (CS14V41<10); NA number of schools attended (CS14V41=99); NA age attended school

CS14V52 "B1 CHILDHOOD HEALTH STATUS" NUM(1.0)

B1. These next questions ask about your health during childhood, that is, before age 17. Would you say that your health during that time was excellent, very good, good, fair or poor?

Count	%	Value/Range	Code Value/Range Text
4,153	51.45	1	Excellent
2,459	30.46	2	Very good
1,077	13.34	3	Good
287	3.56	4	Fair
64	.79	5	Poor
32	.40	9	NA; not answered

CS14V53 "B2 MISS MONTH+ SCHOOL HEALTH REASON" NUM(1.0)

B2. When you were growing up, before you were 17 years old, did you miss a month or more of school because of a health problem?

Count	%	Value/Range	Code Value/Range Text
649	8.04	1	Yes
7,353	91.09	5	No
70	.87	9	NA; not answered

CS14V54 "B3 WTR HAD MEASLES" NUM(1.0)

B3. Before you were 17 years old, did you have measles?

Count	%	Value/Range	Code Value/Range Text
2,997	37.13	1	Yes
4,957	61.41	5	No
118	1.46	9	NA; not answered

CS14V55 "B4 WTR HAD MUMPS" NUM(1.0)

B4. Before you were 17 years old, did you have mumps?

Count	%	Value/Range	Code Value/Range Text
2,421	29.99	1	Yes
5,530	68.51	5	No
121	1.50	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V56 "B5 WTR HAD CHICKEN POX" NUM(1.0)

B5. Before you were 17 years old, did you have chicken pox?

Count	%	Value/Range	Code	Value/Range	Text
6,644	82.31	1	Yes		
1,342	16.63	5	No		
86	1.07	9	NA; not answered		

CS14V57 "B6 WTR HAD TROUBLE SEEING" NUM(1.0)

B6. Before you were 17 years old, did you have difficulty seeing, even with eye glasses?

Count	%	Value/Range	Code	Value/Range	Text
1,106	13.70	1	Yes		
6,928	85.83	5	No		
38	.47	9	NA; not answered		

CS14V58 "B6A WTR HAD DIFFICULTY HEARING" NUM(1.0)

B6a. Before you were 17 years old, did you have difficulty hearing?

Count	%	Value/Range	Code	Value/Range	Text
237	2.94	1	Yes		
7,793	96.54	5	No		
42	.52	9	NA; not answered		

CS14V59 "B6B WTR USED HEARING AID" NUM(1.0)

B6b. Did you use a hearing aid?

Count	%	Value/Range	Code	Value/Range	Text
19	.24	1	Yes		
209	2.59	5	No		
9	.11	9	NA; not answered		
7,835	97.06	0	Inap.: no difficulty hearing before age 17 (CS14V58=5); NA whether had difficulty hearing before age 17 (CS14V58=9)		

CS14V60 "B7 WTR PARENT SMOKED DURING CHILDHOOD" NUM(1.0)

B7. Did (your mother/your stepmother/the woman who raised you) (or) (your father/your stepfather/the man who raised you) smoke during your childhood?

Count	%	Value/Range	Code	Value/Range	Text
3,033	37.57	1	Yes (one of them)		
1,634	20.24	2	Yes, both of them		
3,321	41.14	5	No (none of them)		
66	.82	9	NA; not answered		
18	.22	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V61 "B8 WTR CHILDHOOD ASTHMA" NUM(1.0)

B8. Before you were 17 years old, did you have asthma?

Count	%	Value/Range	Code	Value/Range	Text
773	9.58	1	Yes		
7,248	89.79	5	No		
51	.63	9	NA; not answered		

CS14V62 "B9 AGE ASTHMA DIAGNOSED" NUM(2.0)

B9. At what age were you first diagnosed with asthma? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code	Value/Range	Text
736	9.12	1 - 16	Age 1 to 16		
17	.21	97	I was never diagnosed		
20	.25	99	NA; not answered		
7,299	90.42	0	Inap.: did not have asthma before age 17 (CS14V61=5); NA whether had asthma before age 17 (CS14V61=9)		

CS14V63 "B9A AGE END ASTHMA BEFORE 17" NUM(2.0)

B9A. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code	Value/Range	Text
293	3.63	1 - 16	Age 1 to 16		
85	1.05	96	Older than 16		
338	4.19	97	I still have it		
57	.71	99	NA; not answered		
7,299	90.42	0	Inap.: did not have asthma before age 17 (CS14V61=5); NA whether had asthma before age 17 (CS14V61=9)		

CS14V64 "B9AB9B AGE END ASTHMA 17+" NUM(3.0)

B9aB9b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code	Value/Range	Text
85	1.05	17 - 120	Actual age		
-	-	999	NA; not answered		
7,987	98.95	0	Inap.: did not have asthma before age 17 (CS14V61=5); NA whether had asthma before age 17 (CS14V61=9); asthma ended before age 17 or still has asthma (CS14V63=1-16 or 97); NA age that asthma ended (CS14V63=99)		

CS14V65 "B10 WTR CHILDHOOD DIABETES" NUM(1.0)

B10. Before you were 17 years old, did you have diabetes?

Count	%	Value/Range	Code	Value/Range	Text
32	.40	1	Yes		
7,902	97.89	5	No		

2014: Childhood Retrospective Circumstances Study File

138 1.71 9 NA; not answered

CS14V66 "B11 AGE DIABETES DIAGNOSED" NUM(2.0)

B11. At what age were you first diagnosed with diabetes? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
26	.32	1 - 16	Age 1 to 16
2	.02	97	I was never diagnosed
4	.05	99	NA; not answered
8,040	99.60	0	Inap.: did not have diabetes before age 17 (CS14V65=5); NA whether had diabetes before age 17 (CS14V65=9)

CS14V67 "B11A AGE END DIABETES BEFORE 17" NUM(2.0)

B11a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
5	.06	1 - 16	Age 1 to 16
-	-	96	Older than 16
21	.26	97	I still have it
6	.07	99	NA; not answered
8,040	99.60	0	Inap.: did not have diabetes before age 17 (CS14V65=5); NA whether had diabetes before age 17 (CS14V65=9)

CS14V68 "B11AB11B AGE END DIABETES 17+" NUM(3.0)

B11aB11b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
-	-	17 - 120	Actual age
8,072	100.00	0	Inap.: did not have diabetes before age 17 (CS14V65=5); NA whether had diabetes before age 17 (CS14V65=9); diabetes ended before age 17 or still has diabetes (CS14V67=1-16 or 97); NA age that diabetes ended (CS14V67=99)

CS14V69 "B12 WTR CHILDHOOD RESP DIS" NUM(1.0)

B12. Before you were 17 years old, did you have a respiratory disorder such as bronchitis, wheezing, hay fever, shortness of breath, or sinus infection?

Count	%	Value/Range	Code Value/Range Text
1,420	17.59	1	Yes
6,577	81.48	5	No
75	.93	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V70 "B13 AGE RESP DIS DIAGNOSED" NUM(2.0)

B13. At what age were you first diagnosed with a respiratory disorder such as bronchitis, wheezing, hay fever, shortness of breath, or sinus infection? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
1,302	16.13	1 - 16	Age 1 to 16
93	1.15	97	I was never diagnosed
25	.31	99	NA; not answered
6,652	82.41	0	Inap.: did not have respiratory disorder before age 17 (CS14V69=5); NA whether had respiratory disorder before age 17 (CS14V69=9)

CS14V71 "B13A AGE END RESP DIS BEFORE 17" NUM(2.0)

B13a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
535	6.63	1 - 16	Age 1 to 16
133	1.65	96	Older than 16
637	7.89	97	I still have it
114	1.41	99	NA; not answered
6,653	82.42	0	Inap.: did not have respiratory disorder before age 17 (CS14V69=5); NA whether had respiratory disorder before age 17 (CS14V69=9)

CS14V72 "B13AB13B AGE END RESP DIS 17+" NUM(3.0)

B13aB13b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
133	1.65	17 - 120	Actual age
-	-	999	NA; not answered
7,939	98.35	0	Inap.: did not have respiratory disorder before age 17 (CS14V69=5); NA whether had respiratory disorder before age 17 (CS14V69=9); respiratory disorder ended before age 17 or still has respiratory disorder (CS14V71=1-16 or 97); NA age that respiratory disorder ended (CS14V71=99)

CS14V73 "B14 WTR CHILDHOOD SPCH IMPAIR" NUM(1.0)

B14. Before you were 17 years old, did you have a speech impairment?

Count	%	Value/Range	Code Value/Range Text
466	5.77	1	Yes
7,511	93.05	5	No
95	1.18	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V74 "B15 AGE SPCH IMPAIR DIAGNOSED"

NUM(2.0)

B15. At what age were you first diagnosed with a speech impairment? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
428	5.30	1 - 16	Age 1 to 16
24	.30	97	I was never diagnosed
14	.17	99	NA; not answered
7,606	94.23	0	Inap.: did not have speech impairment before age 17 (CS14V73=5); NA whether had speech impairment before age 17 (CS14V73=9)

CS14V75 "B15A AGE END SPCH IMPAIR BEFORE 17"

NUM(2.0)

B15a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
342	4.24	1 - 16	Age 1 to 16
13	.16	96	Older than 16
59	.73	97	I still have it
51	.63	99	NA; not answered
7,607	94.24	0	Inap.: did not have speech impairment before age 17 (CS14V73=5); NA whether had speech impairment before age 17 (CS14V73=9)

CS14V76 "B15AB15B AGE END SPCH IMPAIR 17+"

NUM(3.0)

B15aB15b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
13	.16	17 - 120	Actual age
8,059	99.84	0	Inap.: did not have speech impairment before age 17 (CS14V73=5); NA whether had speech impairment before age 17 (CS14V73=9); speech impairment ended before age 17 or still has speech impairment (CS14V75=1-16 or 97); NA age that speech impairment ended (CS14V75=99)

CS14V77 "B16 WTR CHILDHOOD ALLERGY"

NUM(1.0)

B16. Before you were 17 years old, did you have an allergic condition?

Count	%	Value/Range	Code Value/Range Text
1,208	14.97	1	Yes
6,770	83.87	5	No
94	1.16	9	NA; not answered

CS14V78 "B17 AGE ALLERGY DIAGNOSED"

NUM(2.0)

B17. At what age were you first diagnosed with an allergic condition? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
1,085	13.44	1 - 16	Age 1 to 16

2014: Childhood Retrospective Circumstances Study File

101	1.25	97	I was never diagnosed
22	.27	99	NA; not answered
6,864	85.03	0	Inap.: did not have allergic condition before age 17 (CS14V77=5); NA whether had allergic condition before age 17 (CS14V77=9)

CS14V79 "B17A AGE END ALLERGY BEFORE 17" NUM(2.0)

B17a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
198	2.45	1 - 16	Age 1 to 16
75	.93	96	Older than 16
853	10.57	97	I still have it
81	1.00	99	NA; not answered
6,865	85.05	0	Inap.: did not have allergic condition before age 17 (CS14V77=5); NA whether had allergic condition before age 17 (CS14V77=9)

CS14V80 "B17AB17B AGE END ALLERGY 17+" NUM(3.0)

B17aB17b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
75	.93	17 - 120	Actual age
-	-	999	NA; not answered
7,997	99.07	0	Inap.: did not have allergic condition before age 17 (CS14V77=5); NA whether had allergic condition before age 17 (CS14V77=9); allergic condition ended before age 17 or still has allergic condition (CS14V79=1-16 or 97); NA age that allergic condition ended (CS14V79=99)

CS14V81 "B18 WTR CHILDHOOD HEART TRBL" NUM(1.0)

B18. Before you were 17 years old, did you have heart trouble?

Count	%	Value/Range	Code Value/Range Text
144	1.78	1	Yes
7,847	97.21	5	No
81	1.00	9	NA; not answered

CS14V82 "B19 AGE HEART TRBL DIAGNOSED" NUM(2.0)

B19. At what age were you first diagnosed with heart trouble? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
129	1.60	1 - 16	Age 1 to 16
9	.11	97	I was never diagnosed
6	.07	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

7,928 98.22 0 Inap.: did not have heart trouble before age 17
(CS14V81=5); NA whether had heart trouble before age 17
(CS14V81=9)

CS14V83 "B19A AGE END HEART TRBL BEFORE 17" NUM(2.0)

B19a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
54	.67	1 - 16	Age 1 to 16
8	.10	96	Older than 16
65	.81	97	I still have it
17	.21	99	NA; not answered

7,928 98.22 0 Inap.: did not have heart trouble before age 17
(CS14V81=5); NA whether had heart trouble before age 17
(CS14V81=9)

CS14V84 "B19AB19B AGE END HEART TRBL 17+" NUM(3.0)

B19aB19b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
8	.10	17 - 120	Actual age

8,064 99.90 0 Inap.: did not have heart trouble before age 17
(CS14V81=5); NA whether had heart trouble before age 17
(CS14V81=9); heart trouble ended before age 17 or still
has heart trouble (CS14V83=1-16 or 97); NA age that heart
trouble ended (CS14V83=99)

CS14V85 "B20 WTR CHILDHOOD EAR PROBS" NUM(1.0)

B20. Before you were 17 years old, did you have chronic ear problems or infections?

Count	%	Value/Range	Code Value/Range Text
760	9.42	1	Yes
7,241	89.71	5	No
71	.88	9	NA; not answered

CS14V86 "B21 AGE EAR PROBS DIAGNOSED" NUM(2.0)

B21. At what age were you first diagnosed with chronic ear problems or infections? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
696	8.62	1 - 16	Age 1 to 16
39	.48	97	I was never diagnosed
25	.31	99	NA; not answered
7,312	90.58	0	Inap.: did not have chronic ear problems or infections before age 17 (CS14V85=5); NA whether had chronic ear problems or infections before age 17 (CS14V85=9)

2014: Childhood Retrospective Circumstances Study File

CS14V87 "B21A AGE END EAR PROBS BEFORE 17"

NUM(2.0)

B21a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
483	5.98	1 - 16			Age 1 to 16
43	.53	96			Older than 16
160	1.98	97			I still have it
74	.92	99			NA; not answered
7,312	90.58	0			Inap.: did not have chronic ear problems or infections before age 17 (CS14V85=5); NA whether had chronic ear problems or infections before age 17 (CS14V85=9)

CS14V88 "B21AB21B AGE END EAR PROBS 17+"

NUM(3.0)

B21aB21b. (Until what age did you have it?) Please enter an age 17 or older.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
43	.53	17 - 120			Actual age
-	-	999			NA; not answered
8,029	99.47	0			Inap.: did not have chronic ear problems or infections before age 17 (CS14V85=5); NA whether had chronic ear problems or infections before age 17 (CS14V85=9); chronic ear problems or infections ended before age 17 or still has chronic ear problems (CS14V87=1-16 or 97); NA age that chronic ear problems or infections ended (CS14V87=99)

CS14V89 "B22 WTR CHILDHOOD EPILEPSY"

NUM(1.0)

B22. Before you were 17 years old, did you have epilepsy or seizures?

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
109	1.35	1			Yes
7,889	97.73	5			No
74	.92	9			NA; not answered

CS14V90 "B23 AGE EPILEPSY DIAGNOSED"

NUM(2.0)

B23. At what age were you first diagnosed with epilepsy or seizures? If you don't know the exact age, please give us your best guess.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
98	1.21	1 - 16			Age 1 to 16
8	.10	97			I was never diagnosed
3	.04	99			NA; not answered
7,963	98.65	0			Inap.: did not have epilepsy or seizures before age 17 (CS14V89=5); NA whether had epilepsy or seizures before age 17 (CS14V89=9)

2014: Childhood Retrospective Circumstances Study File

CS14V91 "B23A AGE END EPILEPSY BEFORE 17"

NUM(2.0)

B23a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
64	.79	1 - 16	Age 1 to 16
12	.15	96	Older than 16
22	.27	97	I still have it
11	.14	99	NA; not answered
7,963	98.65	0	Inap.: did not have epilepsy or seizures before age 17 (CS14V89=5); NA whether had epilepsy or seizures before age 17 (CS14V89=9)

CS14V92 "B23AB23B AGE END EPILEPSY 17+"

NUM(3.0)

B23aB23b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
12	.15	17 - 120	Actual age
-	-	999	NA; not answered
8,060	99.85	0	Inap.: did not have epilepsy or seizures before age 17 (CS14V89=5); NA whether had epilepsy or seizures before age 17 (CS14V89=9); epilepsy or seizures ended before age 17 or still has epilepsy or seizures (CS14V91=1-16 or 97); NA age that epilepsy or seizures ended (CS14V91=99)

CS14V93 "B24 WTR CHILDHOOD HEADACHE"

NUM(1.0)

B24. Before you were 17 years old, did you have severe headaches or migraines?

Count	%	Value/Range	Code Value/Range Text
813	10.07	1	Yes
7,185	89.01	5	No
74	.92	9	NA; not answered

CS14V94 "B25 AGE HEADACHE DIAGNOSED"

NUM(2.0)

B25. At what age were you first diagnosed with severe headaches or migraines? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
606	7.51	1 - 16	Age 1 to 16
180	2.23	97	I was never diagnosed
27	.33	99	NA; not answered
7,259	89.93	0	Inap.: did not have severe headaches or migraines before age 17 (CS14V93=5); NA whether had severe headaches or migraines before age 17 (CS14V93=9)

2014: Childhood Retrospective Circumstances Study File

CS14V95 "B25A AGE END HEADACHE BEFORE 17"

NUM(2.0)

B25a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
144	1.78	1 - 16	Age 1 to 16
149	1.85	96	Older than 16
441	5.46	97	I still have it
79	.98	99	NA; not answered
7,259	89.93	0	Inap.: did not have severe headaches or migraines before age 17 (CS14V93=5); NA whether had severe headaches or migraines before age 17 (CS14V93=9)

CS14V96 "B25AB25B AGE END HEADACHE 17+"

NUM(3.0)

B25aB25b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
149	1.85	17 - 120	Actual age
-	-	999	NA; not answered
7,923	98.15	0	Inap.: did not have severe headaches or migraines before age 17 (CS14V93=5); NA whether had severe headaches or migraines before age 17 (CS14V93=9); severe headaches or migraines ended before age 17 or still has severe headaches (CS14V95=1-16 or 97); NA age that severe headaches or migraines ended (CS14V95=99)

CS14V97 "B26 WTR CHILDHOOD STOM PROB"

NUM(1.0)

B26. Before you were 17 years old, did you have stomach problems?

Count	%	Value/Range	Code Value/Range Text
540	6.69	1	Yes
7,455	92.36	5	No
77	.95	9	NA; not answered

CS14V98 "B27 AGE STOM PROB DIAGNOSED"

NUM(2.0)

B27. At what age were you first diagnosed with stomach problems? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
407	5.04	1 - 16	Age 1 to 16
109	1.35	97	I was never diagnosed
24	.30	99	NA; not answered
7,532	93.31	0	Inap.: did not have stomach problems before age 17 (CS14V97=5); NA whether had stomach problems before age 17 (CS14V97=9)

2014: Childhood Retrospective Circumstances Study File

CS14V99 "B27A AGE END STOM PROB BEFORE 17"

NUM(2.0)

B27a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
124	1.54	1 - 16			Age 1 to 16
77	.95	96			Older than 16
275	3.41	97			I still have it
64	.79	99			NA; not answered
7,532	93.31	0			Inap.: did not have stomach problems before age 17 (CS14V97=5); NA whether had stomach problems before age 17 (CS14V97=9)

CS14V100 "B27AB27B AGE END STOM PROB 17+"

NUM(3.0)

B27aB27b. (Until what age did you have it?) Please enter an age 17 or older.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
77	.95	17 - 120			Actual age
-	-	999			NA; not answered
7,995	99.05	0			Inap.: did not have stomach problems before age 17 (CS14V97=5); NA whether had stomach problems before age 17 (CS14V97=9); stomach problems ended before age 17 or still has stomach problems (CS14V99=1-16 or 97); NA age that stomach problems ended (CS14V99=99)

CS14V101 "B28 WTR CHILDHOOD HGH BLOOD PR"

NUM(1.0)

B28. Before you were 17 years old, did you have high blood pressure?

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
69	.85	1			Yes
7,918	98.09	5			No
85	1.05	9			NA; not answered

CS14V102 "B29 AGE HGH BLOOD PR DIAGNOSED"

NUM(2.0)

B29. At what age were you first diagnosed with high blood pressure? If you don't know the exact age, please give us your best guess.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
51	.63	1 - 16			Age 1 to 16
7	.09	97			I was never diagnosed
11	.14	99			NA; not answered
8,003	99.15	0			Inap.: did not have high blood pressure before age 17 (CS14V101=5); NA whether had high blood pressure before age 17 (CS14V101=9)

2014: Childhood Retrospective Circumstances Study File

CS14V103 "B29A AGE END HGH BLOOD PR BEFORE 17" NUM(2.0)

B29a. Until what age did you have it? If you don't know the exact age, please give us your best guess.

Count	%	Value/Range	Code Value/Range Text
11	.14	1 - 16	Age 1 to 16
5	.06	96	Older than 16
38	.47	97	I still have it
15	.19	99	NA; not answered
8,003	99.15	0	Inap.: did not have high blood pressure before age 17 (CS14V101=5); NA whether had high blood pressure before age 17 (CS14V101=9)

CS14V104 "B29AB29B AGE END HGH BLOOD PR 17+" NUM(3.0)

B29aB29b. (Until what age did you have it?) Please enter an age 17 or older.

Count	%	Value/Range	Code Value/Range Text
5	.06	17 - 120	Actual age
-	-	999	NA; not answered
8,067	99.94	0	Inap.: did not have high blood pressure before age 17 (CS14V101=5); NA whether had high blood pressure before age 17 (CS14V101=9); high blood pressure ended before age 17 or still has high blood pressure (CS14V103=1-16 or 97); NA age that high blood pressure ended (CS14V103=99)

CS14V105 "B30 WTR CHILDHOOD DRUG/AL PROB" NUM(1.0)

B30. Before you were 17 years old, did you have drug or alcohol problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

CS14V106 "B30A WTR DRUGS, ALCOHOL, BOTH" NUM(1.0)

B30a. Was it drugs, alcohol, or both?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Drugs

2014: Childhood Retrospective Circumstances Study File

0	.00	2	Alcohol
0	.00	3	Both
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

CS14V107 "B30B AGE DRUG/AL PROB START" NUM(2.0)

B30b. At what age did you first start having drug or alcohol problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

CS14V108 "B30C AGE END DRUG/AL PROB BEFORE 17" NUM(2.0)

B30c. Until what age did you have these drug or alcohol problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

2014: Childhood Retrospective Circumstances Study File

CS14V109 "B30CB30D AGE END DRUG/AL PROB 17+" NUM(3.0)
 B30cB30d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9); drug or alcohol problem ended before age 17 or still has a drug or alcohol problem (CS14V108=1-16 or 97); NA age that drug or alcohol problem ended (CS14V108=99)

CS14V110 "B31 WTR SAW PSYCH FOR DRUG/AL PROB" NUM(1.0)
 B31. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your drug or alcohol problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

CS14V111 "B32 AGE 1ST SAW PSYCH FOR DRUG/AL PROB" NUM(2.0)
 B32. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your drug or alcohol problems? If you don't know the exact age, please use your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9); did not see a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=5); NA whether saw a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=9)

CS14V112 "B33 AGE LAST SAW PSYCH FOR DRUG/AL PROB" NUM(2.0)

B33. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your drug or alcohol problems? If you don't know the exact age, please use your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9); did not see a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=5); NA whether saw a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=9)

CS14V113 "B34 WTR CHILDHOOD DEPRESSION" NUM(1.0)

B34. Before you were 17 years old, did you have depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V114 "B34B AGE DEPRESSION START"

NUM(2.0)

B34b. At what age did you first start having depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)

CS14V115 "B34C AGE END DEPRESSION BEFORE 17"

NUM(2.0)

B34c. Until what age did you have depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)

CS14V116 "B34CB34D AGE END DEPRESSION 17+"

NUM(3.0)

B34cB34d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9); depression ended before age 16 or still has depression (CS14V115=1-16 or 97); NA age that depression ended (CS14V115=9)

CS14V117 "B35 WTR SAW PSYCH FOR DEPRESSION" NUM(1.0)

B35. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)		

CS14V118 "B36 AGE 1ST SAW PSYCH FOR DEPRESSION" NUM(2.0)

B36. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9); did not see a psychiatrist or psychologist for depression before age 17 (CS14V117=5); NA whether saw a psychiatrist or psychologist for depression before age 17 (CS14V117=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V119 "B37 AGE LAST SAW PSYCH FOR DEPRESSION" NUM(2.0)

B37. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9); did not see a psychiatrist or psychologist for depression before age 17 (CS14V117=5); NA whether saw a psychiatrist or psychologist for depression before age 17 (CS14V117=9)

CS14V120 "B37A WTR GIVEN MEDS FOR DEPRESSION" NUM(1.0)

B37a. Before age 17 were you prescribed medication for your depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)

CS14V121 "B38 WTR CHILDHOOD ANXIETY" NUM(1.0)

B38. Before you were 17 years old, did you have anxiety?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V122 "B38B AGE ANXIETY START"

NUM(2.0)

B38b. At what age did you first start having anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)

CS14V123 "B38C AGE END ANXIETY BEFORE 17"

NUM(2.0)

B38c. Until what age did you have anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)

CS14V124 "B38CB38D AGE END ANXIETY 17+"

NUM(3.0)

B38cB38d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9); anxiety ended before age 17 or still has anxiety (CS14V123=1-16 or 97); NA age that anxiety ended (CS14V123=9)

2014: Childhood Retrospective Circumstances Study File

CS14V125 "B39 WTR SAW PSYCH FOR ANXIETY"

NUM(1.0)

B39. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your anxiety?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)	

CS14V126 "B40 AGE 1ST SAW PSYCH FOR ANXIETY"

NUM(2.0)

B40. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.:	did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9); did not see a psychiatrist or psychologist for anxiety before age 17 (CS14V125=5); NA whether saw a psychiatrist or psychologist for anxiety before age 17 (CS14V125=9)	

CS14V127 "B41 AGE LAST SAW PSYCH FOR ANXIETY"

NUM(2.0)

B41. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9); did not see a psychiatrist or psychologist for anxiety before age 17 (CS14V125=5); NA whether saw a psychiatrist or psychologist for anxiety before age 17 (CS14V125=9)

CS14V128 "B41A WTR GIVEN MEDS FOR ANXIETY" NUM(1.0)
 B41a. Before age 17 were you prescribed medication for your anxiety?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)		

CS14V129 "B42 WTR CHILDHOOD PANIC ATTACK" NUM(1.0)
 B42. Before you were 17 years old, did you have panic attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		

CS14V130 "B42B AGE PANIC ATTACK START" NUM(2.0)
 B42b. At what age did you first start having panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V131 "B42C AGE END PANIC ATTACK BEFORE 17" NUM(2.0)

B42c. Until what age did you have panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9)

CS14V132 "B42CB42D AGE END PANIC ATTACK 17+" NUM(3.0)

B42cB42d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9); panic attacks ended before age 17 or still has panic attacks (CS14V131=1-16 or 97); NA age that panic attacks ended (CS14V131=9)

CS14V133 "B43 WTR SAW PSYCH FOR PANIC ATTACK" NUM(1.0)

B43. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your panic attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have panic attacks before age 17
(CS14V129=5); NA whether had panic attacks before age 17
(CS14V129=9)

CS14V134 "B44 AGE 1ST SAW PSYCH FOR PANIC ATTACK" NUM(2.0)

B44. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9); did not see a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=5); NA whether saw a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=9)

CS14V135 "B45 AGE LAST SAW PSYCH FOR PANIC ATTACK" NUM(2.0)

B45. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9); did not see a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=5); NA whether saw a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=9)

2014: Childhood Retrospective Circumstances Study File

CS14V136 "B45A WTR GIVEN MEDS FOR PANIC ATTACK" NUM(1.0)

B45a. Before age 17 were you prescribed medication for your panic attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9)	

CS14V137 "B46 WTR CHILDHOOD ADD" NUM(1.0)

B46. Before you were 17 years old, did you have attention deficit disorder?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		

CS14V138 "B46B AGE ADD START" NUM(2.0)

B46b. At what age did you first start having attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.:	did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)	

2014: Childhood Retrospective Circumstances Study File

CS14V139 "B46C AGE END ADD BEFORE 17"

NUM(2.0)

B46c. Until what age did you have attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)

CS14V140 "B46CB46D AGE END ADD 17+"

NUM(3.0)

B46cB46d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9); attention deficit disorder ended before age 17 or still has attention deficit disorder (CS14V139=1-16 or 97); NA age that attention deficit disorder ended (CS14V139=9)

CS14V141 "B47 WTR SAW PSYCH FOR ADD"

NUM(1.0)

B47. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your attention deficit disorder?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No

2014: Childhood Retrospective Circumstances Study File

0 .00 9 NA; not answered
 0 .00 0 Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)

CS14V142 "B48 AGE 1ST SAW PSYCH FOR ADD"

NUM(2.0)

B48. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9); did not see a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=5); NA whether saw a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=9)

CS14V143 "B49 AGE LAST SAW PSYCH FOR ADD"

NUM(2.0)

B49. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9); did not see a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=5); NA whether saw a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=9)

2014: Childhood Retrospective Circumstances Study File

CS14V144 "B49A WTR GIVEN MEDS FOR ADD"

NUM(1.0)

B49a. Before age 17 were you prescribed medication for your attention deficit disorder?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)	

CS14V145 "B50 WTR OTR CHILDHOOD PSYCH PROB"

NUM(1.0)

B50. Before you were 17 years old, did you have any other emotional or psychological problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		

CS14V146 "B50B AGE OTR PSYCH PROB START"

NUM(2.0)

B50b. At what age did you first start having emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.:	did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)	

2014: Childhood Retrospective Circumstances Study File

CS14V147 "B50C AGE END OTR PSYCH PROB BEFORE 17" NUM(2.0)

B50c. Until what age did you have emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)

CS14V148 "B50CB50D AGE END OTR PSYCH PROB 17+" NUM(3.0)

B50cB50d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9); other emotional or psychological problems ended before age 17 or still has other emotional or psychological problems (CS14V147=1-16 or 97); NA age that other emotional or psychological problems ended (CS14V147=9)

2014: Childhood Retrospective Circumstances Study File

CS14V149 "B51 WTR SAW PSYCH FOR OTR PSYCH PROB"

NUM(1.0)

B51. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your emotional or psychological problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)	

CS14V150 "B52 AGE 1ST SAW PSYCH OTR PSYCH PROB"

NUM(2.0)

B52. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.:	did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9); did not see a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=5); NA whether saw a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=9)	

2014: Childhood Retrospective Circumstances Study File

CS14V151 "B53 AGE LAST SAW PSYCH OTR PSYCH PROB" NUM(2.0)

B53. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9); did not see a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=5); NA whether saw a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=9)

CS14V152 "B53A WTR GIVEN MEDS FOR OTR PSYCH PROB" NUM(1.0)

B53a. Before age 17 were you prescribed medication for your emotional or psychological problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)

CS14V153 "B54 HEIGHT UNIT OF MEASUREMENT" NUM(1.0)

B54. Thinking about when you were 13 years old, how tall were you at that age?

Count	%	Value/Range	Code Value/Range Text
7,667	94.98	1	Enter height in feet and inches
52	.64	2	Enter height in meters
353	4.37	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V154 "B54FT HEIGHT AT AGE 13-FEET"

NUM(1.0)

B54FT. ENTER height in feet and inches. If you don't know the exact height, please give us your best guess.

IF LESS THAN 2 OR MORE THAN 7, THEN ASK: Please enter a number from 2 to 7.

Count	%	Value/Range	Code Value/Range Text
7,587	93.99	2 - 7	Actual number of feet
80	.99	9	NA; not answered
405	5.02	0	Inap.: reported height in meters (CS14V153=2); NA unit of height measurement (CS14V153=9)

CS14V155 "B54INCH HEIGHT AT AGE 13-INCHES"

NUM(2.0)

B54INCH. ENTER height in feet and inches. If you don't know the exact height, please give us your best guess.

IF MORE THAN 11, THEN ASK: Please enter a number from 0 to 11.

Count	%	Value/Range	Code Value/Range Text
7,992	99.01	0 - 11	Actual number of inches
80	.99	99	NA; not answered

CS14V156 "B54METER HEIGHT AT AGE 13 IN METERS"

NUM(4.2)

B54METER. ENTER height in meters. If you don't know the exact height, please give us your best guess.

IF LESS THAN 0.6 OR MORE THAN 2.1, THEN ASK: Please enter a number from 0.60 to 2.10.

Count	%	Value/Range	Code Value/Range Text
46	.57	.60 - 2.10	Actual height in meters
6	.07	9.00	NA; not answered
8,020	99.36	.00	Inap.: reported height in feet and inches (CS14V153=1); NA unit of height measurement (CS14V153=9)

CS14V157 "B55 WEIGHT UNIT OF MEASUREMENT"

NUM(1.0)

B55. Thinking about when you were 13 years old, how much did you weigh?

Count	%	Value/Range	Code Value/Range Text
7,647	94.73	1	Enter weight in pounds
52	.64	2	Enter weight in kilograms
373	4.62	9	NA; not answered

CS14V158 "B55POUND WEIGHT AGE 13 IN POUNDS"

NUM(3.0)

B55POUND. ENTER weight in pounds. If you don't know the exact weight, please give us your best guess.

IF LESS THAN 50 OR MORE THAN 400, THEN ASK: Please enter a number from 50 to 400.

Count	%	Value/Range	Code Value/Range Text
7,591	94.04	50 - 400	Actual number of pounds
56	.69	999	NA; not answered

2014: Childhood Retrospective Circumstances Study File

425 5.27 0 Inap.: reported weight in kilograms (CS14V157=2); NA unit of weight measurement (CS14V157=9)

CS14V159 "B55KILO WEIGHT AGE 13 IN KILOS" NUM(5.1)

B55KILO. ENTER weight in kilograms. If you don't know the exact weight, please give us your best guess.

IF LESS THAN 36 OR MORE THAN 180.9, THEN ASK: Please enter a number from 36.0 to 180.0.

Count	%	Value/Range	Code Value/Range Text
49	.61	36.0 - 180.0	Actual number of kilos
3	.04	999.0	NA; not answered
8,020	99.36	.0	Inap.: reported weight in pounds (CS14V157=1); NA unit of weight measurement (CS14V157=9)

CS14V160 "C1 HOW MUCH DAD WORKED R AGE 0-5" NUM(1.0)

C1. How much of the time did (your father/your stepfather/the man who raised you) either work for pay or work in a family business: From when you were born until age 5?

Work for pay includes self-employment; Farming counts as working in a family business.

Count	%	Value/Range	Code Value/Range Text
5,653	70.03	1	All
674	8.35	2	Most
212	2.63	3	Some
63	.78	4	A little
33	.41	5	Seldom
329	4.08	6	None
165	2.04	7	Deceased / Not living with family
251	3.11	9	NA; not answered
692	8.57	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V161 "C2 HOW MUCH DAD WORKED R AGE 6-12" NUM(1.0)

C2. How much of the time did (your father/your stepfather/the man who raised you) either work for pay or work in a family business: When you were between age 6 and 12?

Work for pay includes self-employment; Farming counts as working in a family business.

Count	%	Value/Range	Code Value/Range Text
5,657	70.08	1	All
746	9.24	2	Most
247	3.06	3	Some
85	1.05	4	A little
44	.55	5	Seldom
286	3.54	6	None
75	.93	7	Deceased / Not living with family

2014: Childhood Retrospective Circumstances Study File

240 2.97 9 NA; not answered
 692 8.57 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V162 "C3 HOW MUCH DAD WORKED R AGE 13-16" NUM(1.0)

C3. How much of the time did (your father/your stepfather/the man who raised you) either work for pay or work in a family business: When you were between age 13 and 16?

Work for pay includes self-employment; Farming counts as working in a family business.

Count	%	Value/Range	Code	Value/Range	Text
5,535	68.57		1	All	
707	8.76		2	Most	
260	3.22		3	Some	
84	1.04		4	A little	
63	.78		5	Seldom	
328	4.06		6	None	
184	2.28		7	Deceased / Not living with family	
219	2.71		9	NA; not answered	
692	8.57		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)	

CS14V163 "C7A # TIMES DAD UNEMP R AGE 0-5" NUM(1.0)

C7a. Before you were age 17, how often was (your father/your stepfather/the man who raised you) unemployed and actively looking for a job: From when you were born until age 5?

Count	%	Value/Range	Code	Value/Range	Text
6,170	76.44		1	0 times	
552	6.84		2	1-2 times	
80	.99		3	3-5 times	
93	1.15		4	More than 5 times	
320	3.96		9	NA; not answered	
857	10.62		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); father deceased or not living with family from R birth to age 5 (CS14V160=7)	

CS14V164 "C8A # TIMES DAD UNEMP R AGE 6-12" NUM(1.0)

C8a. Before you were age 17, how often was (your father/your stepfather/the man who raised you) unemployed and actively looking for a job: When you were between age 6 and 12?

Count	%	Value/Range	Code	Value/Range	Text
6,120	75.82		1	0 times	
686	8.50		2	1-2 times	
95	1.18		3	3-5 times	
113	1.40		4	More than 5 times	
291	3.61		9	NA; not answered	

2014: Childhood Retrospective Circumstances Study File

767 9.50 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); father deceased or not living with family when R age 6-12 (CS14V161=7)

CS14V165 "C9A # TIMES DAD UNEMP R AGE 13-16" NUM(1.0)

C9a. Before you were age 17, how often was (your father/your stepfather/the man who raised you) unemployed and actively looking for a job: When you were between age 13 and 16?

Count	%	Value/Range	Code	Value/Range	Text
6,048	74.93	1	0	0 times	
639	7.92	2	1-2	1-2 times	
108	1.34	3	3-5	3-5 times	
123	1.52	4	More than 5	More than 5 times	
278	3.44	9	NA;	not answered	
876	10.85	0	Inap.:	not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); father deceased or not living with family when R age 13-16 (CS14V162=7)	

CS14V166 "C4 HOW MUCH MOM WORKED R AGE 0-5" NUM(1.0)

C4. How much of the time did (your mother/your stepmother/the woman who raised you) either work for pay or work in a family business: From when you were born until age 5?

Work for pay includes self-employment; Farming counts as working in a family business.

Count	%	Value/Range	Code	Value/Range	Text
2,645	32.77	1	All	All	
693	8.59	2	Most	Most	
700	8.67	3	Some	Some	
400	4.96	4	A little	A little	
280	3.47	5	Seldom	Seldom	
3,041	37.67	6	None	None	
36	.45	7	Deceased /	Not living with family	
193	2.39	9	NA;	not answered	
84	1.04	0	Inap.:	not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)	

CS14V167 "C5 HOW MUCH MOM WORKED R AGE 6-12" NUM(1.0)

C5. How much of the time did (your mother/your stepmother/the woman who raised you) either work for pay or work in a family business: When you were between age 6 and 12?

Work for pay includes self-employment; Farming counts as working in a family business.

Count	%	Value/Range	Code	Value/Range	Text
3,009	37.28	1	All	All	
884	10.95	2	Most	Most	
1,040	12.88	3	Some	Some	
491	6.08	4	A little	A little	

2014: Childhood Retrospective Circumstances Study File

285	3.53	5	Seldom
2,076	25.72	6	None
25	.31	7	Deceased / Not living with family
178	2.21	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V168 "C6 HOW MUCH MOM WORKED R AGE 13-16" NUM(1.0)

C6. How much of the time did (your mother/your stepmother/the woman who raised you) either work for pay or work in a family business: When you were between age 13 and 16?

Work for pay includes self-employment; Farming counts as working in a family business.

Count	%	Value/Range	Code Value/Range Text
3,578	44.33	1	All
938	11.62	2	Most
876	10.85	3	Some
376	4.66	4	A little
208	2.58	5	Seldom
1,776	22.00	6	None
60	.74	7	Deceased / Not living with family
176	2.18	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V169 "C10A # TIMES MOM UNEMP R AGE 0-5" NUM(1.0)

C10a. Before you were age 17, how often was (your mother/your stepmother/the woman who raised you) unemployed and actively looking for a job: From when you were born until age 5?

Count	%	Value/Range	Code Value/Range Text
6,570	81.39	1	0 times
713	8.83	2	1-2 times
121	1.50	3	3-5 times
278	3.44	4	More than 5 times
270	3.34	9	NA; not answered
120	1.49	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); mother deceased or not living with family from R birth to age 5 (CS14V166=7)

CS14V170 "C11A # TIMES MOM UNEMP R AGE 6-12" NUM(1.0)

C11a. Before you were age 17, how often was (your mother/your stepmother/the woman who raised you) unemployed and actively looking for a job: When you were between age 6 and 12?

Count	%	Value/Range	Code Value/Range Text
6,317	78.26	1	0 times

2014: Childhood Retrospective Circumstances Study File

991	12.28	2	1-2 times
173	2.14	3	3-5 times
223	2.76	4	More than 5 times
259	3.21	9	NA; not answered
109	1.35	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); mother deceased or not living with family when R age 6-12 (CS14V167=7)

CS14V171 "C12A # TIMES MOM UNEMP R AGE 13-16" NUM(1.0)

C12a. Before you were age 17, how often was (your mother/your stepmother/the woman who raised you) unemployed and actively looking for a job: When you were between age 13 and 16?

Count	%	Value/Range	Code	Value/Range	Text
6,422	79.56	1	0	0 times	
874	10.83	2	1-2	1-2 times	
147	1.82	3	3-5	3-5 times	
231	2.86	4	More than 5	More than 5 times	
254	3.15	9	NA;	not answered	
144	1.78	0	Inap.:	not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); mother deceased or not living with family when R age 13-16 (CS14V168=7)	

CS14V172 "C13A WTR FINANCIAL STRUGGLE R AGE 0-5" NUM(1.0)

C13a. Before you were age 17, was there ever a time when your family was struggling financially to make ends meet: From when you were born until age 5?

Count	%	Value/Range	Code	Value/Range	Text
2,669	33.06	1	Yes		
5,139	63.66	5	No		
264	3.27	9	NA;	not answered	

CS14V173 "C13B WTR FINANCIAL STRUGGLE R AGE 6-12" NUM(1.0)

C13b. Before you were age 17, was there ever a time when your family was struggling financially to make ends meet: When you were between age 6 and 12?

Count	%	Value/Range	Code	Value/Range	Text
2,897	35.89	1	Yes		
4,960	61.45	5	No		
215	2.66	9	NA;	not answered	

CS14V174 "C13C WTR FINANCIAL STRUGGLE R AGE 13-16" NUM(1.0)

C13c. Before you were age 17, was there ever a time when your family was struggling financially to make ends meet: When you were between age 13 and 16?

Count	%	Value/Range	Code	Value/Range	Text
2,688	33.30	1	Yes		
5,167	64.01	5	No		

2014: Childhood Retrospective Circumstances Study File

217 2.69 9 NA; not answered

CS14V175 "C14A WTR WELFARE 3+ MONTHS R AGE 0-5" NUM(1.0)

C14a. Before you were age 17, was there ever a period of 3 months or more when your family was on welfare or received food stamps: From when you were born until age 5?

Welfare includes General Assistance and other programs for financial aid to people who are poor, or have a physical disability or mental health condition, but does not include government health insurance or any unemployment programs or benefits.

Count	%	Value/Range	Code	Value/Range	Text
1,055	13.07		1	Yes	
6,839	84.72		5	No	
178	2.21		9	NA; not answered	

CS14V176 "C14B WTR WELFARE 3+ MONTHS R AGE 6-12" NUM(1.0)

C14b. Before you were age 17, was there ever a period of 3 months or more when your family was on welfare or received food stamps: When you were between age 6 and 12?

Welfare includes General Assistance and other programs for financial aid to people who are poor, or have a physical disability or mental health condition, but does not include government health insurance or any unemployment programs or benefits.

Count	%	Value/Range	Code	Value/Range	Text
1,257	15.57		1	Yes	
6,647	82.35		5	No	
168	2.08		9	NA; not answered	

CS14V177 "C14C WTR WELFARE 3+ MONTHS R AGE 13-16" NUM(1.0)

C14c. Before you were age 17, was there ever a period of 3 months or more when your family was on welfare or received food stamps: When you were between age 13 and 16?

Welfare includes General Assistance and other programs for financial aid to people who are poor, or have a physical disability or mental health condition, but does not include government health insurance or any unemployment programs or benefits.

Count	%	Value/Range	Code	Value/Range	Text
1,061	13.14		1	Yes	
6,842	84.76		5	No	
169	2.09		9	NA; not answered	

CS14V178 "C15 R'S FAMILY FINANCE COMP TO AVERAGE" NUM(1.0)

C15. When you were a child before age 17, compared to the average family at that time, how was the financial situation of the family that you lived with? If your family lived separately and had different financial situations, answer for the family you lived with the longest time.

Count	%	Value/Range	Code	Value/Range	Text
666	8.25		1	A lot better off than the average family	
1,713	21.22		2	Somewhat better off than the average family	
3,905	48.38		3	Same as the average family	

2014: Childhood Retrospective Circumstances Study File

1,412	17.49	4	Somewhat worse off than the average family
254	3.15	5	A lot worse off than the average family
122	1.51	9	NA; not answered

CS14V179 "D1B NBHD AGE 6-12 SAFE AT NIGHT ALONE" NUM(1.0)

D1b. Think back to the neighborhood in which you lived the longest when you were between age 6 and 12. How true is each of the following statements about this neighborhood:

It was safe being out alone in my neighborhood at night.

Count	%	Value/Range	Code Value/Range Text
5,717	70.83	1	Very true
1,704	21.11	2	Somewhat true
368	4.56	3	Not very true
213	2.64	4	Not true at all
70	.87	9	NA; not answered

CS14V180 "D2B NBHD AGE 6-12 SAFE IN DAY" NUM(1.0)

D2b. (Think back to the neighborhood in which you lived the longest when you were between age 6 and 12. How true is each of the following statements about this neighborhood:)

My neighborhood was safe for children during the daytime.

Count	%	Value/Range	Code Value/Range Text
6,812	84.39	1	Very true
1,009	12.50	2	Somewhat true
105	1.30	3	Not very true
56	.69	4	Not true at all
90	1.11	9	NA; not answered

CS14V181 "D3B NBHD AGE 6-12 SAFE AT NIGHT KIDS" NUM(1.0)

D3b. (Think back to the neighborhood in which you lived the longest when you were between age 6 and 12. How true is each of the following statements about this neighborhood:)

My neighborhood was safe for children during the nighttime.

Count	%	Value/Range	Code Value/Range Text
5,593	69.29	1	Very true
1,770	21.93	2	Somewhat true
395	4.89	3	Not very true
208	2.58	4	Not true at all
106	1.31	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V182 "D4B NBHD AGE 6-12 HELP EACH OTHER" NUM(1.0)

D4b. (Think back to the neighborhood in which you lived the longest when you were between age 6 and 12. How true is each of the following statements about this neighborhood:)

My neighbors were willing to help each other out.

Count	%	Value/Range	Code Value/Range Text
5,611	69.51	1	Very true
1,860	23.04	2	Somewhat true
373	4.62	3	Not very true
121	1.50	4	Not true at all
107	1.33	9	NA; not answered

CS14V183 "D5B NBHD AGE 6-12 CLOSE KNIT" NUM(1.0)

D5b. (Think back to the neighborhood in which you lived the longest when you were between age 6 and 12. How true is each of the following statements about this neighborhood:)

My neighborhood was close-knit.

Count	%	Value/Range	Code Value/Range Text
4,139	51.28	1	Very true
2,688	33.30	2	Somewhat true
879	10.89	3	Not very true
254	3.15	4	Not true at all
112	1.39	9	NA; not answered

CS14V184 "D6B NBHD AGE 6-12 CLEAN" NUM(1.0)

D6b. (Think back to the neighborhood in which you lived the longest when you were between age 6 and 12. How true is each of the following statements about this neighborhood:)

My neighborhood was clean and attractive.

Count	%	Value/Range	Code Value/Range Text
4,801	59.48	1	Very true
2,458	30.45	2	Somewhat true
528	6.54	3	Not very true
179	2.22	4	Not true at all
106	1.31	9	NA; not answered

CS14V185 "D7B NBHD AGE 6-12 TOOK CARE OF HOMES" NUM(1.0)

D7b. (Think back to the neighborhood in which you lived the longest when you were between age 6 and 12. How true is each of the following statements about this neighborhood:)

People in my neighborhood took good care of their homes and property.

Count	%	Value/Range	Code Value/Range Text
4,902	60.73	1	Very true
2,546	31.54	2	Somewhat true

2014: Childhood Retrospective Circumstances Study File

386 4.78 3 Not very true
 144 1.78 4 Not true at all
 94 1.16 9 NA; not answered

CS14V186 "D1CA WTR SAME NBHD AGES 6-16" NUM(1.0)

D1Ca. Now think back to the neighborhood where you lived the longest when you were between age 13 and 16. Is this the same neighborhood that you just described or a different neighborhood?

Count	%	Value/Range	Code Value/Range Text
5,694	70.54	1	Same neighborhood
2,106	26.09	2	Different neighborhood
272	3.37	9	NA; not answered

CS14V187 "D1C NBHD AGE 13-16 SAFE AT NIGHT ALONE" NUM(1.0)

D1c. Think back to the neighborhood in which you lived the longest when you were between age 13 and 16. How true is each of the following statements about this neighborhood:

It was safe being out alone in my neighborhood at night.

Count	%	Value/Range	Code Value/Range Text
1,358	16.82	1	Very true
700	8.67	2	Somewhat true
168	2.08	3	Not very true
59	.73	4	Not true at all
93	1.15	9	NA; not answered
5,694	70.54	0	Inap.: lived mostly in the same neighborhood from ages 6-16 (CS14V186=1)

CS14V188 "D2C NBHD AGE 13-16 SAFE IN DAY" NUM(1.0)

D2c. (Think back to the neighborhood in which you lived the longest when you were between age 13 and 16. How true is each of the following statements about this neighborhood:)

My neighborhood was safe for children during the daytime.

Count	%	Value/Range	Code Value/Range Text
1,704	21.11	1	Very true
482	5.97	2	Somewhat true
63	.78	3	Not very true
28	.35	4	Not true at all
101	1.25	9	NA; not answered
5,694	70.54	0	Inap.: lived mostly in the same neighborhood from ages 6-16 (CS14V186=1)

2014: Childhood Retrospective Circumstances Study File

CS14V189 "D3C NBHD AGE 13-16 SAFE AT NIGHT KIDS"

NUM(1.0)

D3c. (Think back to the neighborhood in which you lived the longest when you were between age 13 and 16. How true is each of the following statements about this neighborhood:)

My neighborhood was safe for children during the nighttime.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
1,321	16.37		1		Very true
687	8.51		2		Somewhat true
196	2.43		3		Not very true
66	.82		4		Not true at all
108	1.34		9		NA; not answered
5,694	70.54		0		Inap.: lived mostly in the same neighborhood from ages 6-16 (CS14V186=1)

CS14V190 "D4C NBHD AGE 13-16 HELP EACH OTHER"

NUM(1.0)

D4c. (Think back to the neighborhood in which you lived the longest when you were between age 13 and 16. How true is each of the following statements about this neighborhood:)

My neighbors were willing to help each other out.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
1,124	13.92		1		Very true
797	9.87		2		Somewhat true
279	3.46		3		Not very true
77	.95		4		Not true at all
101	1.25		9		NA; not answered
5,694	70.54		0		Inap.: lived mostly in the same neighborhood from ages 6-16 (CS14V186=1)

CS14V191 "D5C NBHD AGE 13-16 CLOSE KNIT"

NUM(1.0)

D5c. (Think back to the neighborhood in which you lived the longest when you were between age 13 and 16. How true is each of the following statements about this neighborhood:)

My neighborhood was close-knit.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
842	10.43		1		Very true
809	10.02		2		Somewhat true
487	6.03		3		Not very true
139	1.72		4		Not true at all
101	1.25		9		NA; not answered
5,694	70.54		0		Inap.: lived mostly in the same neighborhood from ages 6-16 (CS14V186=1)

2014: Childhood Retrospective Circumstances Study File

CS14V192 "D6C NBHD AGE 13-16 CLEAN"

NUM(1.0)

D6c. (Think back to the neighborhood in which you lived the longest when you were between age 13 and 16. How true is each of the following statements about this neighborhood:)

My neighborhood was clean and attractive.

Count	%	Value/Range	Code	Value/Range Text
1,291	15.99	1	Very true	
742	9.19	2	Somewhat true	
172	2.13	3	Not very true	
61	.76	4	Not true at all	
112	1.39	9	NA; not answered	
5,694	70.54	0	Inap.: lived mostly in the same neighborhood from ages 6-16 (CS14V186=1)	

CS14V193 "D7C NBHD AGE 13-16 TOOK CARE OF HOMES"

NUM(1.0)

D7c. (Think back to the neighborhood in which you lived the longest when you were between age 13 and 16. How true is each of the following statements about this neighborhood:)

People in my neighborhood took good care of their homes and property.

Count	%	Value/Range	Code	Value/Range Text
1,313	16.27	1	Very true	
738	9.14	2	Somewhat true	
170	2.11	3	Not very true	
55	.68	4	Not true at all	
102	1.26	9	NA; not answered	
5,694	70.54	0	Inap.: lived mostly in the same neighborhood from ages 6-16 (CS14V186=1)	

CS14V194 "E1 HOW OFTEN LONELY AGE 6-12"

NUM(1.0)

E1. When you were between age 6 and 12: How often were you lonely for friends?

Count	%	Value/Range	Code	Value/Range Text
427	5.29	1	Often	
1,410	17.47	2	Sometimes	
2,533	31.38	3	Not very often	
3,620	44.85	4	Never	
82	1.02	9	NA; not answered	

CS14V195 "E2 HOW OFTEN COMF W/ FRIENDS AGE 6-12"

NUM(1.0)

E2. When you were between age 6 and 12: How often did you have a group of friends that you felt comfortable spending time with?

Count	%	Value/Range	Code	Value/Range Text
5,332	66.06	1	Often	
1,675	20.75	2	Sometimes	

2014: Childhood Retrospective Circumstances Study File

599	7.42	3	Not very often
318	3.94	4	Never
148	1.83	9	NA; not answered

CS14V196 "E3 WTR HAD BEST FRIEND AGE 6-12" NUM(1.0)

E3. When you were between age 6 and 12: Did you have a best friend?

Count	%	Value/Range	Code	Value/Range	Text
6,791	84.13	1	Yes		
1,039	12.87	5	No		
242	3.00	9	NA; not answered		

CS14V197 "E4 HOW OFTEN LONELY AGE 13-16" NUM(1.0)

E4. When you were between age 13 and 16: How often were you lonely for friends?

Count	%	Value/Range	Code	Value/Range	Text
372	4.61	1	Often		
1,535	19.02	2	Sometimes		
2,297	28.46	3	Not very often		
3,692	45.74	4	Never		
176	2.18	9	NA; not answered		

CS14V198 "E5 HOW OFTEN COMF W/ FRIENDS AGE 13-16" NUM(1.0)

E5. When you were between age 13 and 16: How often did you have a group of friends that you felt comfortable spending time with?

Count	%	Value/Range	Code	Value/Range	Text
5,120	63.43	1	Often		
1,782	22.08	2	Sometimes		
566	7.01	3	Not very often		
352	4.36	4	Never		
252	3.12	9	NA; not answered		

CS14V199 "E6 WTR HAD BEST FRIEND AGE 13-16" NUM(1.0)

E6. When you were between age 13 and 16: Did you have a best friend?

Count	%	Value/Range	Code	Value/Range	Text
6,933	85.89	1	Yes		
993	12.30	5	No		
146	1.81	9	NA; not answered		

CS14V200 "E7 WTR HAD BF/GF AGE 13-16" NUM(1.0)

E7. When you were between age 13 and 16: Did you have a romantic partner or someone that you dated for a while, like a boyfriend or girlfriend?

Count	%	Value/Range	Code	Value/Range	Text
3,863	47.86	1	Yes		

2014: Childhood Retrospective Circumstances Study File

4,097 50.76 5 No
 112 1.39 9 NA; not answered

CS14V201 "E8 RELATIONSHIP WITH BF/GF POSITIVE?" NUM(1.0)

E8. For the most important romantic relationship you had when you were between age 13 and 16, would you say it was mostly positive, mostly negative, or neutral?

Count	%	Value/Range	Code Value/Range Text
2,411	29.87	1	Mostly positive
296	3.67	2	Mostly negative
1,127	13.96	3	Neutral
29	.36	9	NA; not answered
4,209	52.14	0	Inap.: did not have a romantic partner between ages 13-16 (CS14V200=5); NA whether had a romantic partner between ages 13-16 (CS14V200=9)

CS14V202 "F1 WTR REPEAT SCHOOL GRADE" NUM(1.0)

F1. Before age 17, did you ever have to repeat a grade?

Count	%	Value/Range	Code Value/Range Text
1,009	12.50	1	Yes
7,004	86.77	5	No
59	.73	9	NA; not answered

CS14V203 "F1A # TIMES REPEAT SCHOOL GRADE" NUM(2.0)

F1a. How many times?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

Count	%	Value/Range	Code Value/Range Text
988	12.24	1 - 15	Number of grades repeated
21	.26	99	NA; not answered
7,063	87.50	0	Inap.: did not repeat a grade in school before age 17 (CS14V202=5); NA whether repeated a grade in school before age 17 (CS14V202=9)

CS14V204 "F1B SCHOOL GRADE REPEATED 1ST" NUM(2.0)

F1b. What grade did you repeat (the first time you repeated a grade)?

Count	%	Value/Range	Code Value/Range Text
286	3.54	1	First grade
133	1.65	2	Second grade
131	1.62	3	Third grade
76	.94	4	Fourth grade
74	.92	5	Fifth grade
45	.56	6	Sixth grade
69	.85	7	Seventh grade

2014: Childhood Retrospective Circumstances Study File

34	.42	8	Eighth grade
55	.68	9	Ninth grade
38	.47	10	Tenth grade
18	.22	11	Eleventh grade
17	.21	12	Twelfth grade
33	.41	99	NA; not answered
7,063	87.50	0	Inap.: did not repeat a grade in school before age 17 (CS14V202=5); NA whether repeated a grade in school before age 17 (CS14V202=9)

CS14V205 "F1C SCHOOL GRADE REPEATED LAST" NUM(2.0)

F1c. What grade did you repeat the last time you repeated a grade?

Count	%	Value/Range	Code Value/Range Text
3	.04	1	First grade
8	.10	2	Second grade
2	.02	3	Third grade
11	.14	4	Fourth grade
10	.12	5	Fifth grade
17	.21	6	Sixth grade
11	.14	7	Seventh grade
10	.12	8	Eighth grade
11	.14	9	Ninth grade
17	.21	10	Tenth grade
12	.15	11	Eleventh grade
3	.04	12	Twelfth grade
21	.26	99	NA; not answered
7,936	98.32	0	Inap.: did not repeat a grade in school before age 17 (CS14V202=5); NA whether repeated a grade in school before age 17 (CS14V202=9); repeated one grade in school before age 17 (CS14V203=1); NA how many grades repeated in school before age 17 (CS14V203=99)

CS14V206 "F2 BULLIED AT SCHOOL AGE 6-12" NUM(1.0)

F2. When you were between age 6 and 12: How often were you picked on or bullied by kids at school?

Count	%	Value/Range	Code Value/Range Text
444	5.50	1	A lot
1,501	18.60	2	Sometimes
2,475	30.66	3	Rarely
3,599	44.59	4	Never
53	.66	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V207 "F3 BULLIED OUT OF SCHOOL AGE 6-12" NUM(1.0)

F3. When you were between age 6 and 12: How often were you picked on or bullied by kids outside of school?

Count	%	Value/Range	Code	Value/Range	Text
184	2.28		1	A lot	
881	10.91		2	Sometimes	
2,249	27.86		3	Rarely	
4,648	57.58		4	Never	
110	1.36		9	NA; not answered	

CS14V208 "F4 HAPPY AT SCHOOL AGE 6-12" NUM(1.0)

F4. When you were between age 6 and 12: How often did you feel happy at school?

Count	%	Value/Range	Code	Value/Range	Text
4,593	56.90		1	A lot	
2,546	31.54		2	Sometimes	
522	6.47		3	Rarely	
315	3.90		4	Never	
96	1.19		9	NA; not answered	

CS14V209 "F5 WORRY SAFE AT SCHOOL AGE 6-12" NUM(1.0)

F5. When you were between age 6 and 12: How often did you feel worried about your physical safety at school?

Count	%	Value/Range	Code	Value/Range	Text
173	2.14		1	A lot	
532	6.59		2	Sometimes	
1,444	17.89		3	Rarely	
5,837	72.31		4	Never	
86	1.07		9	NA; not answered	

CS14V210 "F5A R WAS BULLY AT SCHOOL AGE 6-12" NUM(1.0)

F5a. When you were between age 6 and 12: How often did you pick on or bully kids at school?

Count	%	Value/Range	Code	Value/Range	Text
55	.68		1	A lot	
379	4.70		2	Sometimes	
1,290	15.98		3	Rarely	
6,257	77.51		4	Never	
91	1.13		9	NA; not answered	

2014: Childhood Retrospective Circumstances Study File

CS14V211 "F5B R WAS BULLY OUT OF SCHOOL AGE 6-12"

NUM(1.0)

F5b. When you were between age 6 and 12: How often did you pick on or bully kids outside of school?

Count	%	Value/Range	Code	Value/Range	Text
42	.52		1	A lot	
256	3.17		2	Sometimes	
1,003	12.43		3	Rarely	
6,676	82.71		4	Never	
95	1.18		9	NA; not answered	

CS14V212 "F6 BULLIED AT SCHOOL AGE 13-16"

NUM(1.0)

F6. When you were between age 13 and 16: How often were you picked on or bullied by kids at school?

Count	%	Value/Range	Code	Value/Range	Text
292	3.62		1	A lot	
1,163	14.41		2	Sometimes	
2,125	26.33		3	Rarely	
4,289	53.13		4	Never	
203	2.51		9	NA; not answered	

CS14V213 "F7 BULLIED OUT OF SCHOOL AGE 13-16"

NUM(1.0)

F7. When you were between age 13 and 16: How often were you picked on or bullied by kids outside of school?

Count	%	Value/Range	Code	Value/Range	Text
127	1.57		1	A lot	
682	8.45		2	Sometimes	
1,781	22.06		3	Rarely	
5,255	65.10		4	Never	
227	2.81		9	NA; not answered	

CS14V214 "F8 HAPPY AT SCHOOL AGE 13-16"

NUM(1.0)

F8. When you were between age 13 and 16: How often did you feel happy at school?

Count	%	Value/Range	Code	Value/Range	Text
4,156	51.49		1	A lot	
2,659	32.94		2	Sometimes	
623	7.72		3	Rarely	
408	5.05		4	Never	
226	2.80		9	NA; not answered	

2014: Childhood Retrospective Circumstances Study File

CS14V215 "F9 WORRY SAFE AT SCHOOL AGE 13-16" NUM(1.0)

F9. When you were between age 13 and 16: How often did you feel worried about your physical safety at school?

Count	%	Value/Range	Code	Value/Range	Text
139	1.72		1	A lot	
553	6.85		2	Sometimes	
1,353	16.76		3	Rarely	
5,784	71.66		4	Never	
243	3.01		9	NA; not answered	

CS14V216 "F9A R WAS BULLY AT SCHOOL AGE 13-16" NUM(1.0)

F9a. When you were between age 13 and 16: How often did you pick on or bully kids at school?

Count	%	Value/Range	Code	Value/Range	Text
40	.50		1	A lot	
308	3.82		2	Sometimes	
1,058	13.11		3	Rarely	
6,448	79.88		4	Never	
218	2.70		9	NA; not answered	

CS14V217 "F9B R WAS BULLY OUT OF SCHOOL AGE 13-16" NUM(1.0)

F9b. When you were between age 13 and 16: How often did you pick on or bully kids outside of school?

Count	%	Value/Range	Code	Value/Range	Text
34	.42		1	A lot	
237	2.94		2	Sometimes	
860	10.65		3	Rarely	
6,722	83.28		4	Never	
219	2.71		9	NA; not answered	

CS14V218 "G1 WTR CRIME VICTIM BEFORE AGE 17" NUM(1.0)

G1. Before you were age 17, were you ever the victim of a crime?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	

2014: Childhood Retrospective Circumstances Study File

CS14V219 "G2 # TIMES CRIME VICTIM BEFORE AGE 17" NUM(2.0)

G2. How many times were you a victim of a crime before age 17?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 97	Number of times crime victim
0	.00	99	NA; not answered
0	.00	0	Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9)

CS14V220 "G3 AGE 1ST TIME CRIME VICTIM" NUM(2.0)

G3. How old were you (the first time)?

IF MORE THAN 16, THEN ASK: Please enter an age less than or equal to 16.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9)

CS14V221 "G4 1ST CRIME COMMITTED AGAINST R" NUM(2.0)

G4. What was the crime that was committed against you (the first time)? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, attempted manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)

2014: Childhood Retrospective Circumstances Study File

0 .00 5 Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)

0 .00 10 Other felony

0 .00 11 Other misdemeanor

0 .00 99 NA; not answered

0 .00 0 Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9)

CS14V222 "G5 AGE LAST TIME CRIME VICTIM" NUM(2.0)

G5. How old were you the last time you were a victim of crime?

IF MORE THAN 16, THEN ASK: Please enter an age less than or equal to 16.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9); crime victim one time before age 17 (CS14V219=1); NA number of times victim of crime before age 17 (CS14V219=9)

CS14V223 "G6 LAST CRIME COMMITTED AGAINST R" NUM(2.0)

G6. What was the crime that was committed against you the last time? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, attempted manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9); crime victim one time before age 17 (CS14V219=1); NA number of times victim of crime before age 17 (CS14V219=9)

CS14V224 "G7 WTR ARRESTED BEFORE AGE 26" NUM(1.0)

G7. Before you were age 26, were you ever arrested or taken into custody by the police?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

CS14V225 "G8 # TIMES ARRESTED BEFORE AGE 26" NUM(2.0)

G8. How many times were you arrested before you were 26?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 65	Number of times arrested
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

CS14V226 "G9 AGE 1ST ARRESTED" NUM(2.0)

G9. How old were you (when/the first time) this happened?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 25	Age 1 to 25
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

CS14V227 "G10 CRIME CHARGED WITH 1ST TIME" NUM(2.0)

G10. What were you charged with (the first time)? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age
0	.00	9	Possessing or selling illegal firearm
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

CS14V228 "G11 AGE LAST ARRESTED" NUM(2.0)

G11. How old were you the last time this happened?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 25	Age 1 to 25

2014: Childhood Retrospective Circumstances Study File

0 .00 99 NA; not answered
 0 .00 0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); arrested one time before age 26 (CS14V225=1); NA how many times arrested before age 26 (CS14V225=9)

CS14V229 "G12 CRIME CHARGED WITH LAST TIME" NUM(2.0)

G12. What were you charged with the last time? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age
0	.00	9	Possessing or selling illegal firearm
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); arrested one time before age 26 (CS14V225=1); NA how many times arrested before age 26 (CS14V225=9)

2014: Childhood Retrospective Circumstances Study File

CS14V230 "G13 WTR CONVICTED BEFORE AGE 26" NUM(1.0)

G13. Before you were age 26, were you ever convicted of a crime, including in juvenile court? Include a guilty plea as a conviction.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)	

CS14V231 "G14 # TIMES CONVICTED BEFORE AGE 26" NUM(2.0)

G14. How many times did this happen?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 26	Number of times convicted		
0	.00	99	NA; not answered		
0	.00	0	Inap.:	never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9)	

CS14V232 "G15 AGE 1ST CONVICTED" NUM(2.0)

G15. How old were you (when/the first time) you were convicted, or found delinquent?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 25	Age 1 to 25		
0	.00	99	NA; not answered		

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9)

CS14V233 "G16 CRIME CONVICTED OF 1ST TIME" NUM(2.0)

G16. What were you convicted of doing, or for what were you found delinquent (the first time)? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age
0	.00	9	Possessing or selling illegal firearm
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9)

2014: Childhood Retrospective Circumstances Study File

CS14V234 "G17 AGE LAST CONVICTED"

NUM(2.0)

G17. How old were you the last time this happened?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 25	Age 1 to 25
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9); convicted of a crime one time before age 26 (CS14V231=5); NA how many times convicted of a crime before age 26 (CS14V231=9)

CS14V235 "G18 CRIME CONVICTED OF LAST TIME"

NUM(2.0)

G18. What were you convicted of doing, or for what were you found delinquent the last time? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age
0	.00	9	Possessing or selling illegal firearm
0	.00	10	Other felony
0	.00	11	Other misdemeanor

2014: Childhood Retrospective Circumstances Study File

0 .00 99 NA; not answered

0 .00 0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9); convicted of a crime one time before age 26 (CS14V231=5); NA how many times convicted of a crime before age 26 (CS14V231=9)

CS14V236 "G19 WTR ON PROBATION BEFORE AGE 26" NUM(1.0)

G19. Before you were age 26, were you ever sentenced to probation?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)		

CS14V237 "G20 WTR ARRESTED SINCE AGE 26" NUM(1.0)

G20. Have you been arrested since you turned age 26?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	7	I am not 26 yet		
0	.00	9	NA; not answered		

2014: Childhood Retrospective Circumstances Study File

CS14V238 "G21 # TIMES ARRESTED SINCE AGE 26" NUM(2.0)

G21. How many times have you been arrested since you were 26?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 40	Number of times arrested
0	.00	99	NA; not answered
0	.00	0	Inap.: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9)

CS14V239 "G22 WTR SENTENCED TO JAIL" NUM(1.0)

G22. Were you ever sentenced to jail or prison?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9)

CS14V240 "G23 TIME SERVED IN JAIL" NUM(2.0)

G23. Altogether, how long did you serve in jail or prison? (Amount of time)

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 97	Actual amount
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9); never sentenced to jail or prison (CS14V239=5); NA whether sentenced to jail or prison (CS14V239=9)

CS14V241 "G23PER JAIL TIME UNIT" NUM(1.0)
 G23Per. Altogether, how long did you serve in jail or prison? (Unit of time)

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	2	Days
0	.00	3	Weeks
0	.00	5	Months
0	.00	6	Years
0	.00	9	NA; not answered
0	.00	0	Inap: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9); never sentenced to jail or prison (CS14V239=5); NA whether sentenced to jail or prison (CS14V239=9)

CS14V242 "H1A WTR MOM HAD TRBL KEEPING JOB" NUM(1.0)
 H1a. Before you were age 17, did (your mother/your stepmother/the woman who raised you): Ever have trouble holding a job?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

2014: Childhood Retrospective Circumstances Study File

CS14V243 "H3A WTR MOM OFTEN FOUGHT"

NUM(1.0)

H3a. Before you were age 17, did (your mother/your stepmother/the woman who raised you): Often get into physical fights?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)	

CS14V244 "H6A WTR MOM HAD ANXIETY ATTACK"

NUM(1.0)

H6a. Before you were age 17, did (your mother/your stepmother/the woman who raised you) ever have anxiety attacks where all of a sudden she felt frightened, anxious, or panicky?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)	

CS14V245 "H7A HOW OFTEN MOM HAD ANXIETY ATTACKS"

NUM(1.0)

H7a. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	All	
0	.00		2	Most	
0	.00		3	Some	
0	.00		4	A little	
0	.00		9	NA; not answered	

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)

CS14V246 "H8A WTR MOM GOT HELP FOR ANXIETY" NUM(1.0)

H8a. Did she ever get professional treatment for her anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)		

CS14V247 "H9A WTR MOM IN HOSP FOR ANXIETY" NUM(1.0)

H9a. Was she ever hospitalized for her anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V248 "H10A WTR ANXIETY INTERFERE W/ MOM LIFE" NUM(1.0)

H10a. Did her anxiety attacks interfere a lot with her life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)	

CS14V249 "H11A WTR MOM DEPRESSED" NUM(1.0)

H11a. Before you were age 17, did (your mother/your stepmother/the woman who raised you) ever have periods lasting 2 weeks or more where she was sad or depressed most of the time?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)	

CS14V250 "H12A HOW OFTEN MOM DEPRESSED" NUM(1.0)

H12a. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	All		
0	.00	2	Most		
0	.00	3	Some		

2014: Childhood Retrospective Circumstances Study File

0 .00 4 A little
 0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

CS14V251 "H13A WTR MOM HAD OTR DEPRESS SYMPTOMS" NUM(1.0)

H13a. During the time her depression was at its worst, did she also have other symptoms like low energy, changes in sleep or appetite, and problems with concentration?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)		

CS14V252 "H14A WTR MOM GOT HELP FOR DEPRESSION" NUM(1.0)

H14a. Did she ever get professional treatment for her depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V253 "H15A WTR MOM IN HOSP FOR DEPRESSION" NUM(1.0)

H15a. Was she ever hospitalized for her depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

CS14V254 "H16A WTR DEPRESS INTERFERE W/ MOM LIFE" NUM(1.0)

H16a. Did her depression ever interfere a lot with her life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

CS14V255 "H17A WTR MOM HAD DRUG/AL PROB" NUM(1.0)

H17a. Before you were age 17, did (your mother/your stepmother/the woman who raised you) have a problem with alcohol or drugs?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes

2014: Childhood Retrospective Circumstances Study File

0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V256 "H18A HOW OFTEN MOM HAD DRUG/AL PROB" NUM(1.0)

H18a. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	All
0	.00	2	Most
0	.00	3	Some
0	.00	4	A little
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

CS14V257 "H19A WTR MOM GOT HELP FOR DRUG/AL PROB" NUM(1.0)

H19a. Did she ever get professional treatment for her alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

2014: Childhood Retrospective Circumstances Study File

CS14V258 "H20A WTR MOM IN HOSP FOR DRUG/AL PROB" NUM(1.0)

H20a. Was she ever hospitalized for her alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

CS14V259 "H21A WTR DRUG/AL PROB INTERFERE W/ MOM" NUM(1.0)

H21a. Did her alcohol or drug problem ever interfere a lot with her life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

CS14V260 "H1B WTR DAD HAD TRBL KEEPING JOB" NUM(1.0)

H1b. Before you were age 17, did (your father/your stepfather/the man who raised you): Ever have trouble holding a job?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No

2014: Childhood Retrospective Circumstances Study File

0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V261 "H3B WTR DAD OFTEN FOUGHT" NUM(1.0)

H3b. Before you were age 17, did (your father/your stepfather/the man who raised you): Often get into physical fights?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)		

CS14V262 "H6B WTR DAD HAD ANXIETY ATTACKS" NUM(1.0)

H6b. Before you were age 17, did (your father/your stepfather/the man who raised you) ever have anxiety attacks where all of a sudden he felt frightened, anxious, or panicky?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)		

CS14V263 "H7B HOW OFTEN DAD HAD ANXIETY ATTACKS" NUM(1.0)

H7b. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	All		
0	.00	2	Most		

2014: Childhood Retrospective Circumstances Study File

0	.00	3	Some
0	.00	4	A little
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)

CS14V264 "H8B WTR DAD GOT HELP FOR ANXIETY" NUM(1.0)
H8b. Did he ever get professional treatment for his anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)

CS14V265 "H9B WTR DAD IN HOSP FOR ANXIETY" NUM(1.0)
H9b. Was he ever hospitalized for his anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)

2014: Childhood Retrospective Circumstances Study File

CS14V266 "H10B WTR ANXIETY INTERFERE W/ DAD LIFE" NUM(1.0)
H10b. Did his anxiety attacks interfere a lot with his life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)	

CS14V267 "H11B WTR DAD DEPRESSED" NUM(1.0)
H11b. Before you were age 17, did (your father/your stepfather/the man who raised you) ever have periods lasting 2 weeks or more where he was sad or depressed most of the time?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)	

CS14V268 "H12B HOW OFTEN DAD DEPRESSED" NUM(1.0)
H12b. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	All		
0	.00	2	Most		
0	.00	3	Some		

2014: Childhood Retrospective Circumstances Study File

0 .00 4 A little
 0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)

CS14V269 "H13B WTR DAD HAD OTR DEPRESS SYMPTOMS" NUM(1.0)

H13b. During the time his depression was at its worst, did he also have other symptoms like low energy, changes in sleep or appetite, and problems with concentration?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)	

CS14V270 "H14B WTR DAD GOT HELP FOR DEPRESSION" NUM(1.0)

H14b. Did he ever get professional treatment for his depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)	

2014: Childhood Retrospective Circumstances Study File

CS14V271 "H15B WTR DAD IN HOSP FOR DEPRESSION" NUM(1.0)
H15b. Was he ever hospitalized for his depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)	

CS14V272 "H16B WTR DEPRESS INTERFERE W/ DAD LIFE" NUM(1.0)
H16b. Did his depression ever interfere a lot with his life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)	

CS14V273 "H17B WTR DAD HAD DRUG/AL PROB" NUM(1.0)
H17b. Before you were age 17, did (your father/your stepfather/the man who raised you) have a problem with alcohol or drugs?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	

2014: Childhood Retrospective Circumstances Study File

0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V274 "H18B HOW OFTEN DAD HAD DRUG/AL PROB" NUM(1.0)

H18b. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	All		
0	.00	2	Most		
0	.00	3	Some		
0	.00	4	A little		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)		

CS14V275 "H19B WTR DAD GOT HELP FOR DRUG/AL PROB" NUM(1.0)

H19b. Did he ever get professional treatment for his alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V276 "H20B WTR DAD IN HOSP FOR DRUG/AL PROB" NUM(1.0)

H20b. Was he ever hospitalized for his alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)

CS14V277 "H21B WTR DRUG/AL PROB INTERFERE W/ DAD" NUM(1.0)

H21b. Did his alcohol or drug problem interfere a lot with his life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)

CS14V278 "J1A COMMUNICATION STATUS W/ MOM" NUM(1.0)

J1a. Before you were age 17, how would you rate the communication between you and (your mother/your stepmother/the woman who raised you)?

Count	%	Value/Range	Code Value/Range Text
2,447	30.31	1	Excellent
2,279	28.23	2	Very good
1,818	22.52	3	Good
942	11.67	4	Fair
401	4.97	5	Poor
101	1.25	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

84 1.04 0 Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V279 "J2A HOW MUCH MOM UNDERSTOOD R PROBS" NUM(1.0)

J2a. Before you were age 17: How much did (your mother/your stepmother/the woman who raised you) understand your problems and worries?

Count	%	Value/Range	Code Value/Range Text
3,295	40.82	1	A lot
2,709	33.56	2	Some
1,244	15.41	3	A little
600	7.43	4	Not at all
140	1.73	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V280 "J3A HOW MUCH COULD CONFIDE IN MOM" NUM(1.0)

J3a. Before you were age 17: How much could you confide in her about things that were bothering you?

Count	%	Value/Range	Code Value/Range Text
2,835	35.12	1	A lot
2,442	30.25	2	Some
1,579	19.56	3	A little
954	11.82	4	Not at all
178	2.21	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V281 "J4A HOW MUCH TENSION WITH MOM" NUM(1.0)

J4a. Before you were age 17: How much tension did you have in your relationship with (your mother/your stepmother/the woman who raised you)?

Count	%	Value/Range	Code Value/Range Text
799	9.90	1	A lot
1,460	18.09	2	Some
2,256	27.95	3	A little
3,306	40.96	4	Not at all
167	2.07	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V282 "J5A RELATIONSHIP STATUS W/ MOM" NUM(1.0)

J5a. Before you were age 17, how would you rate your relationship with (your mother/your stepmother/the woman who raised you)?

Count	%	Value/Range	Code Value/Range Text
2,900	35.93	1	Excellent

2014: Childhood Retrospective Circumstances Study File

2,242	27.78	2	Very good
1,636	20.27	3	Good
815	10.10	4	Fair
271	3.36	5	Poor
124	1.54	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V283 "J6A HOW CLOSE WITH MOM" NUM(1.0)

J6a. Before you were age 17: How emotionally close were you with (your mother/your stepmother/the woman who raised you)?

Count	%	Value/Range	Code Value/Range Text
3,924	48.61	1	Very
2,701	33.46	2	Somewhat
926	11.47	3	Not very
314	3.89	4	Not at all
123	1.52	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V284 "J7A HOW STRICT WAS MOM" NUM(1.0)

J7a. Before you were age 17: How strict was (your mother/your stepmother/the woman who raised you) with her rules for you?

Count	%	Value/Range	Code Value/Range Text
2,686	33.28	1	Very
3,508	43.46	2	Somewhat
1,254	15.54	3	Not very
345	4.27	4	Not at all
195	2.42	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V285 "J8A HOW MUCH AFFECTION MOM GAVE" NUM(1.0)

J8a. Before you were age 17: How much love and affection did (your mother/your stepmother/the woman who raised you) give you?

Count	%	Value/Range	Code Value/Range Text
5,024	62.24	1	A lot
1,869	23.15	2	Some
786	9.74	3	A little
188	2.33	4	None at all
121	1.50	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

84 1.04 0 Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V286 "J9A HOW MUCH PARENTING EFFORT BY MOM" NUM(1.0)

J9a. Before you were age 17: How much effort did (your mother/your stepmother/the woman who raised you) put into watching over you and making sure you had a good upbringing?

Count	%	Value/Range	Code Value/Range Text
6,121	75.83	1	A lot
1,150	14.25	2	Some
447	5.54	3	A little
104	1.29	4	None at all
166	2.06	9	NA; not answered
84	1.04	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V287 "J10A HOW OFTEN MOM PUSHED R" NUM(1.0)

J10a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Push, grab, or shove you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V288 "J11A HOW OFTEN MOM THREW THINGS AT R" NUM(1.0)

J11a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Throw something at you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often

2014: Childhood Retrospective Circumstances Study File

0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V289 "J12A HOW OFTEN MOM SLAPPED R" NUM(1.0)

J12a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Slap or hit you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V290 "J13A HOW OFTEN MOM PHYSICALLY HARMED R" NUM(1.0)

J13a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Physically harm you in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V291 "J1B COMMUNICATION STATUS W/ DAD" NUM(1.0)

J1b. Before you were age 17, how would you rate the communication between you and (your father/your stepfather/the man who raised you)?

Count	%	Value/Range	Code Value/Range Text
1,570	19.45	1	Excellent

2014: Childhood Retrospective Circumstances Study File

1,870	23.17	2	Very good
2,011	24.91	3	Good
1,171	14.51	4	Fair
590	7.31	5	Poor
168	2.08	9	NA; not answered
692	8.57	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V292 "J2B HOW MUCH DAD UNDERSTOOD R PROBS" NUM(1.0)

J2b. Before you were age 17: How much did (your father/your stepfather/the man who raised you) understand your problems and worries?

Count	%	Value/Range	Code Value/Range Text
1,655	20.50	1	A lot
2,604	32.26	2	Some
1,846	22.87	3	A little
1,086	13.45	4	Not at all
189	2.34	9	NA; not answered
692	8.57	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V293 "J3B HOW MUCH COULD CONFIDE IN DAD" NUM(1.0)

J3b. Before you were age 17: How much could you confide in him about things that were bothering you?

Count	%	Value/Range	Code Value/Range Text
1,470	18.21	1	A lot
2,137	26.47	2	Some
2,007	24.86	3	A little
1,548	19.18	4	Not at all
218	2.70	9	NA; not answered
692	8.57	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V294 "J4B HOW MUCH TENSION WITH DAD" NUM(1.0)

J4b. Before you were age 17: How much tension did you have in your relationship with (your father/your stepfather/the man who raised you)?

Count	%	Value/Range	Code Value/Range Text
781	9.68	1	A lot
1,311	16.24	2	Some
1,948	24.13	3	A little
3,129	38.76	4	Not at all
211	2.61	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

692 8.57 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V295 "J5B RELATIONSHIP STATUS W/ DAD" NUM(1.0)

J5b. Before you were age 17, how would you rate your relationship with (your father/your stepfather/the man who raised you)?

Count	%	Value/Range	Code Value/Range Text
1,844	22.84	1	Excellent
2,024	25.07	2	Very good
1,854	22.97	3	Good
985	12.20	4	Fair
470	5.82	5	Poor
203	2.51	9	NA; not answered
692	8.57	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V296 "J6B HOW CLOSE WITH DAD" NUM(1.0)

J6b. Before you were age 17: How emotionally close were you with (your father/your stepfather/the man who raised you)?

Count	%	Value/Range	Code Value/Range Text
2,436	30.18	1	Very
2,727	33.78	2	Somewhat
1,400	17.34	3	Not very
630	7.80	4	Not at all
187	2.32	9	NA; not answered
692	8.57	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V297 "J7B HOW STRICT WAS DAD" NUM(1.0)

J7b. Before you were age 17: How strict was (your father/your stepfather/the man who raised you) with his rules for you?

Count	%	Value/Range	Code Value/Range Text
2,778	34.42	1	Very
2,765	34.25	2	Somewhat
1,129	13.99	3	Not very
472	5.85	4	Not at all
236	2.92	9	NA; not answered
692	8.57	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

2014: Childhood Retrospective Circumstances Study File

CS14V298 "J8B HOW MUCH AFFECTION DAD GAVE"

NUM(1.0)

J8b. Before you were age 17, how much love and affection did (your father/your stepfather/the man who raised you) give you?

Count	%	Value/Range	Code	Value/Range	Text
3,090	38.28		1	A lot	
2,344	29.04		2	Some	
1,363	16.89		3	A little	
407	5.04		4	None at all	
176	2.18		9	NA; not answered	
692	8.57		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)	

CS14V299 "J10B HOW OFTEN DAD PUSHED R"

NUM(1.0)

J10b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Push, grab, or shove you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Often	
0	.00		2	Sometimes	
0	.00		3	Not very often	
0	.00		4	Never	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)	

CS14V300 "J11B HOW OFTEN DAD THREW THINGS AT R"

NUM(1.0)

J11b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Throw something at you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Often	
0	.00		2	Sometimes	
0	.00		3	Not very often	
0	.00		4	Never	

2014: Childhood Retrospective Circumstances Study File

0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V301 "J12B HOW OFTEN DAD SLAPPED R" NUM(1.0)

J12b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Slap or hit you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V302 "J13B HOW OFTEN DAD PHYSICALLY HARMED R" NUM(1.0)

J13b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Physically harm you in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

2014: Childhood Retrospective Circumstances Study File

CS14V303 "J14 HOW OFTEN PARENTS PUSHED EACH OTHER" NUM(1.0)

J14. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you) push, grab, or shove EACH OTHER?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	7	My parents/guardians were never together
0	.00	9	NA; not answered
0	.00	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9)

CS14V304 "J15 PARENTS THREW THINGS AT EACH OTHER" NUM(1.0)

J15. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you): Throw something at EACH OTHER?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents/guardians were never together (CS14V303=7)

2014: Childhood Retrospective Circumstances Study File

CS14V305 "J16 PARENTS SLAPPED EACH OTHER"

NUM(1.0)

J16. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you): Slap or hit EACH OTHER?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
0	.00	1	Often		
0	.00	2	Sometimes		
0	.00	3	Not very often		
0	.00	4	Never		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents/guardians were never together (CS14V303=7)	

CS14V306 "J17 PARENTS PHYSICALLY HARM EACH OTHER"

NUM(1.0)

J17. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you): Physically harm EACH OTHER in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
0	.00	1	Often		
0	.00	2	Sometimes		
0	.00	3	Not very often		
0	.00	4	Never		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents/guardians were never together (CS14V303=7)	

2014: Childhood Retrospective Circumstances Study File

CS14V307 "J18 HOW OFTEN SIBLINGS PUSHED R" NUM(1.0)

J18. Before you were age 17, how often did your siblings push, grab, or shove you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1		Often
0	.00		2		Sometimes
0	.00		3		Not very often
0	.00		4		Never
0	.00		7		I have no siblings
0	.00		9		NA; not answered

CS14V308 "J19 SIBLINGS THREW THINGS AT R" NUM(1.0)

J19. Before you were age 17, how often did your siblings: Throw something at you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1		Often
0	.00		2		Sometimes
0	.00		3		Not very often
0	.00		4		Never
0	.00		9		NA; not answered
0	.00		0		Inap.: has no siblings (CS14V307=7)

CS14V309 "J20 HOW OFTEN SIBLINGS SLAPPED R" NUM(1.0)

J20. Before you were age 17, how often did your siblings: Slap or hit you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1		Often
0	.00		2		Sometimes
0	.00		3		Not very often

2014: Childhood Retrospective Circumstances Study File

0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: has no siblings (CS14V307=7)

CS14V310 "J21 SIBLINGS PHYSICALLY HARMED R" NUM(1.0)

J21. Before you were age 17, how often did your siblings: Physically harm you in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: has no siblings (CS14V307=7)

CS14V311 "K1 WTR RELATIVE MENTORED WORK LIFE" NUM(1.0)

K1. When you were between age 17 and 30, was there a family member other than (your mother/your stepmother/the woman who raised you) (and) (your father/your stepfather/the man who raised you) who provided you with positive support or mentoring that helped you succeed in your work life?

Count	%	Value/Range	Code Value/Range Text
3,941	48.82	1	Yes
3,861	47.83	5	No
73	.90	7	I have never worked
179	2.22	9	NA; not answered
18	.22	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R and NA woman who raised R (CS14V9=9 and CS14V10=9)

CS14V312 "K3 WTR RELATIVE MENTORED MARRIAGE" NUM(1.0)

K3. When you were between age 17 and 30, was there a family member other than (your mother/your stepmother/the woman who raised you) (and) (your father/your stepfather/the man who raised you) who provided you with positive support or mentoring that helped you succeed in your interpersonal relationships, such as marriage or a marriage-like relationship?

Count	%	Value/Range	Code Value/Range Text
3,466	42.94	1	Yes
4,013	49.72	5	No
394	4.88	7	I've never been married/had a marriage-like relationship

2014: Childhood Retrospective Circumstances Study File

181	2.24	9	NA; not answered
18	.22	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R and NA woman who raised R (CS14V9=9 and CS14V10=9)

CS14V313 "K2 WTR NONREL MENTORED WORK LIFE" NUM(1.0)

K2. When you were between age 17 and 30, was there an adult outside of your family who provided you with positive support or mentoring that helped you succeed in your work life?

Count	%	Value/Range	Code Value/Range Text
4,435	54.94	1	Yes
3,354	41.55	5	No
192	2.38	9	NA; not answered
91	1.13	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R and NA woman who raised R (CS14V9=9 and CS14V10=9); has never worked (CS14V311=7)

CS14V314 "K4 WTR NONREL MENTORED MARRIAGE" NUM(1.0)

K4. When you were between age 17 and 30, was there an adult outside of your family who provided you with positive support or mentoring that helped you succeed in your interpersonal relationships, such as marriage or a marriage-like relationship?

Count	%	Value/Range	Code Value/Range Text
3,613	44.76	1	Yes
3,851	47.71	5	No
196	2.43	9	NA; not answered
412	5.10	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R and NA woman who raised R (CS14V9=9 and CS14V10=9); never been married or had a marriage-like relationship (CS14V312=7)

CS14V315 "CRCS CROSS-SECTIONAL WEIGHT" NUM(9.3)

CRCS Cross-Sectional Weight

Count	%	Value/Range	Code Value/Range Text
8,072	100.00	.000 - 73,000.000	Actual weight

CS14V316 "DEVICE TYPE FOR WEB LOGIN" NUM(2.0)

Type of device used to log into Web application

This variable contains information regarding the type of device used to log into the Web application for the CRCS. For cases with multiple logins, the first and last device types used are provided.

Count	%	Value/Range	Code Value/Range Text
4,650	57.61	1	PC
513	6.36	2	Tablet
350	4.34	3	Smartphone
420	5.20	4	PC first, PC last

2014: Childhood Retrospective Circumstances Study File

75	.93	5 Tablet first, Tablet last
48	.59	6 Smartphone first, Smartphone last
2	.02	7 PC first, Tablet last
1	.01	8 Tablet first, PC last
1	.01	9 PC first, Smartphone last
15	.19	10 Smartphone first, PC last
-	-	11 Tablet first, Smartphone last
2	.02	12 Smartphone first, Tablet last
16	.20	99 NA; not answered
1,979	24.52	0 Inap.: completed paper questionnaire